

189

35-081-11
TAYLORSVILLE QUADRANGLE
NORTH CAROLINA
N3545-W0100/15
DIAGRAM NI 17-2
CHARLOTTE

LOCAL DATUM OF 1929

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

under, Catawba, and Iredell Counties

adjustment of 1975

on of 3/14/75


PR: WSM/rmc

NGVD 29
Elevations

DELLAPLANE
(220)

GRANITE FALLS
(190)

STATESVILLE
(188)



NEWTON
(155)

35°45'

1000'

NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 350811

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
28 ATA 1951 1197	5	72 ATA 1951 1062	7,10
29 ATA 1951 1188	5,6	73 ATA 1951 1050	7
32 ATA 1951 1107	11	74 ATA 1951 1054	7
33 ATA 1951 1032	11	75 ATA 1951 977	8
34 ATA 1951 1098	11	77 ATA 1951 1024	8
36 ATA 1951 1096	11	78 ATA 1951 1039	8,12
37 ATA 1951 1125	11	82 ATA 1951 1128	8,10
43 ATA 1951 1092	5	83 ATA 1951 1196	8
44 ATA 1951 1191	5,6	84 ATA 1951 993	10
45 ATA 1951 1280	6	86 ATA 1951 1387	10
46 ATA 1951 1153	6,12	87 ATA 1951 1265	10
47 ATA 1951 1232	6	88 ATA 1951 1118	10
50 ATA 1951 1195	3	301 JAS 1965 935	12
51 ATA 1951 1095	3	302 JAS 1965 1031	12
52 ATA 1951 1060	3		
53 ATA 1951 1046	3	<u>NGS</u>	
54 ATA 1951 1035	4	L 86 1935	11
55 ATA 1951 1018	4,8	M 86 1935	10
59 ATA 1951 986	8	Q 86 1935	3,5,5
60 ATA 1951 803	8 DESTROYED SEE PG 8	SHOALS 1948	4,9
61 ATA 1951 998	9	SHOALS NO 1 1948	4
62 ATA 1951 1023	9,10	SHOALS NO 2 1948	4
63 ATA 1951 977	9	HIDDENITE 1949	3,7
64 ATA 1951 1029	9	HIDDENITE NO 2 1949	3
65 ATA 1951 1129	9	LITTLE 1949 <i>ft mic</i>	6
66 ATA 1951 1180	9	MUDDY 1949 <i>ft mic</i>	6
67 ATA 1951 1022	10	VASHTI 1949	7
68 ATA 1951 978	4	VASHTI NO 1 1949	7
69 ATA 1951 1192	6	VASHTI NO 2 1949	7
70 ATA 1951 1343	7		
71 ATA 1951 1076	7		

NGVD 29
Elevations

1951

LINE 1.

Feet

By A. T. Adams, 1951; Book AV 246

NGVD 29
Elevations

"Q 86 1935" (NGS)	1246.982
U.E., Taylorsville, 1.5 mi SE. of, 25 ft W. of private drive SW., E. end of concrete headwall of culvert; chiseled square	1253.64
Taylorsville, 2.9 mi SE. of courthouse, along State Highway 90; 27 ft S. of SW. corner of White Plains Church; 11 ft W. of centerline of walkway to church from hwy.; 49 ft N. of centerline of hwy.; in concrete post; standard tablet stamped "50 ATA 1951 1195"	1194.868
Reference mark; 750 ft SE. of tablet; on NE. side of rd.; on SE. end of concrete headwall of culvert; chiseled square	1186.29
Taylorsville, 3.5 mi SE. of; 1.2 mi NW. of Hiddenite; 250 ft SE. of junction of rd. S.; 14 ft SE. of private drive SW.; on SW. side of rd.; on center of concrete headwall of culvert; chiseled square	1203.01
Hiddenite, at N. entrance to Hiddenite Cemetery; 41 ft E. of drive; 28 ft S. of center of State Highway 90; 5 ft NE. of white witness post; 3 ft N. of stone wall on N. side of cemetery; in concrete post set flush; NGS standard triangulation disk stamped "HIDDENITE 1949"	1166.376
Reference mark 2; 27 ft S. of center of hwy. and 3 ft N. of stone wall; in concrete post set flush; NGS standard reference disk stamped "HIDDENITE NO 2 1949"	1165.575
Hiddenite, 1.0 mi SE. of; 100 ft SE. of junction of rd. NE.; on NE. side of rd.; on NW. end of concrete headwall of culvert; chiseled square	1116.14
Hiddenite, 2.2 mi SW. of, along State Highway 90; 2.0 mi N. of Stony Point; 105 ft NW. of junction of rd. N.; 25 ft NE. of center of hwy.; 25 ft SW. of center of RR. track; 4 ft SW. of telephone pole; in concrete post; standard tablet stamped "51 ATA 1951 1095"	1095.289
Reference mark; 85 ft SE. of tablet; 15 ft NW. of center of rd.; on SW. end of concrete headwall of culvert; chiseled square	1091.76
Stony Point High School; 30 ft SW. of center of sidewalk leading to front door; 2 ft SE. of SE. wall; 2 ft NE. of 3 ft offset in front wall; in concrete post; standard tablet stamped "52 ATA 1951 1060"	1060.184
Reference mark; 33 ft E. of tablet; 3 ft SE. of S. corner of front steps to school; on SW. concrete curb of sidewalk; chiseled square	1059.83
Stony Point, 2.2 mi SE. of; 6.3 mi NW. of Bradford Crossroads; 130 ft SSE. of crossroads; 30 ft SW. of center of NW.-SE. rd.; 4 ft NE. of telephone pole; in concrete post; standard tablet stamped "53 ATA 1951 1046" (Reported not found, 1970)	1046.036
Reference mark; 150 ft NW. of tablet; on SW. end of concrete pipe culvert; chiseled square	1045.08

LINE 1 (Cont'd)feet

Bradford Crossroads, 4.7 mi NW. of; 25 ft SW. of center of paved rd.; 6 ft E. of power pole; 2 ft S. of white witness post; in concrete post projecting 4 in; NGS standard azimuth disk stamped "SHOALS 1948"	1027.761
Reference mark No 1; 97 ft N. of station; 26 ft NE. of center of rd.; 2 ft N. of white witness post; 1 ft SW. of fenceline; in concrete post projecting 12 in; NGS standard reference disk stamped "SHOALS NO. 1 1948" (Reported not found, 1970)	1054.078
Reference mark No. 2; 94 ft SE. of station; 26 ft NE. of center of rd.; 1 ft SW. of fenceline; in concrete post projecting 8 in.; NGS standard reference disk stamped "SHOALS NO 2 1948" (Reported not found, 1970)	1054.339
Bradford Crossroads, 1.9 mi NW. of; 45 ft N. of junction of rd. NE.; 15 ft W. of 14 in maple tree; 8 ft SW. of power pole; in concrete post; standard tablet stamped "54 ATA 1951 1035" (Reported not found, 1970)	1034.745
Reference mark; 15 ft E. of tablet; in root on S. side of 14 in maple tree; copper nail and washer	1035.56
Bradford Crossroads; 36 ft NE. of crossroads; 20 ft NW. of stop sign; 3 ft SW. of power pole; in concrete post; standard tablet stamped "55 ATA 1951 1018" (Reported not found, 1970)	1018.117
Reference mark; 135 ft S. of tablet; on N. corner of concrete base of Gulf sign; chiseled square	1020.55

LINE 2.

By A. I. Adams, 1951; Book AV 246

Catawba, 0.7 mi N. of, along State Highway 10; thence 5.1 mi E. along U. S. Highway 70; 70 ft NE. of junction of rd. N.; 4 ft E. of telephone pole; 7 ft W. of tree stump; in concrete post; standard tablet stamped "68 ATA 1951 978" (Reported not found, 1970)	977.535
Reference mark; 440 ft W. of tablet; on N. side of rd.; on W. end of concrete headwall of culvert; chiseled square	977.53

NGVD 29
Elevations

1951

LINE 3.

feet

By A. T. Adams, 1951; Book AV 246

"Q 86 1935" (NGS) (Also in line 1)

1246.982

Taylorsville, 1.4 mi W. of courthouse, along State Highway 90; 55 ft WNW. of junction of rd. NNW. to Three Forks Church; 12 ft SW. of 24 in oak tree; in concrete post; standard tablet stamped "28 ATA 1951 1197"

1196.802

Reference mark; 180 ft N. of tablet; on NE. side of rd.; on NE. end of concrete pipe culvert; chiseled square

1194.91

U.E., Taylorsville, 2.5 mi W. of; on NW. wingwall of concrete bridge; chiseled square

1064.74

Taylorsville, 3.8 mi W. of courthouse; 105 ft W. of junction of rd. NW.; 20 ft N. of center of State Highway 90; 12 ft E. of 18 in oak tree; in concrete post; standard tablet stamped "29 ATA 1951 1188" (Reported not found, 1970)

1188.553

Reference mark; 115 ft ESE. of tablet; on S. side of rd.; on W. end of concrete headwall of culvert; chiseled square

1184.89

LINE 4.

By A. T. Adams, 1951; Book AV 246

"Q 86 1935" (NGS) (Also in lines 1 and 3)

1246.982

Taylorsville, 1.8 mi N. of courthouse, along State Highway 16; 50 ft E. of private drive NE. to Schneider Mills; 6 ft SE. of telephone pole; in SE. end of crescent shaped bed of shrubs; in concrete post; standard tablet stamped "43 ATA 1951 1092" (Reported not found, 1970)

1091.734

Reference mark; 0.2 mi SE. of tablet; on NE. side of rd.; on NW. end of concrete headwall of culvert; chiseled square

1178.08

Taylorsville, 3.9 mi N. of, along State Highway 16; 66 ft NNW. of junction of rd. NW. to Little River Church; 7 ft E. of 20 in oak tree; in concrete post; standard tablet stamped "44 ATA 1951 1191" (Reported not found, 1970)

1190.822

Reference mark; 180 ft NE. of tablet; on E. side of rd.; on S. end of concrete headwall of culvert; chiseled square

1194.47

NGVD 29
 Elevations

LINE 4 (Cont'd)Feet

- Taylorsville, 3.9 mi N. of, along State Highway 16, thence 2.2 mi NW. along rd. to Little River Church; 35 ft N. of junction of rd. NE.; in S. corner of apple orchard; 7 ft NW. of stop sign; in concrete post; standard tablet stamped "45 ATA 1951 1280" (Reported not found, 1970) 1279.910
- Reference mark; 6 ft SE. of tablet; on NE. corner of concrete headwall of culvert; chiseled square 1279.14
- Taylorsville, 3.9 mi N. of, along State Highway 16, thence 4.5 mi generally NW. along rd.; 40 ft SE. of junction of rd. NW.; 20 ft NE. of triple poplar tree; in concrete post; standard tablet stamped "46 ATA 1951 1153" (Reported not found, 1970) 1153.093
- Reference mark; 66 ft E. of tablet; on SW. wooden wingwall of bridge; copper nail and washer 1153.94
- Taylorsville, 3.9 mi N. of, along State Highway 16, thence 4.5 mi generally NW. along rds., thence 0.6 mi S. along dirt rd.; 10 ft NW. of junction of T-rd. W.; 94 ft N. of center of N.-S. dirt rd.; 45 ft N. of center of dirt rd. W.; 18 ft E. of power pole; 4 ft SW. of white witness post; in concrete post projecting 6 in; NGS standard azimuth mark disk stamped "LITTLE 1949" 1315.320
- Taylorsville, 3.8 mi W. of, along State Highway 90, thence 4.0 mi N. along rd. to church; 42 ft SE. of junction of rd. E.; 4 ft NW. of concrete wall; at NW. corner of graveyard; in concrete post; standard tablet stamped "47 ATA 1951 1232" 1232.334
- Reference mark; 30 ft S. of tablet; on top of concrete wall around cemetery; chiseled square 1234.41
- [Jogs into Rhodhiss quadrangle]
- "29 ATA 1951 1188" (Described in line 3) 1188.553

LINE 5.

By A. T. Adams, 1951; Book AV 246

- "44 ATA 1951 1191" (Described in line 4) 1190.822
- Taylorsville, 6.0 mi N. of, along State Highway 16; 67 ft W. of hwy.; 48 ft NW. of telephone pole; 25 ft E. of stone chimney; 2.5 ft E. of white witness post; in concrete post projecting 8 in; NGS standard azimuth disk stamped "MUDDY 1949" (Reported not found, 1970) 1293.978
- Reference mark; 0.4 mi S. of tablet; on E. side of rd.; on N. end of concrete headwall of culvert; chiseled square 1192.84
- Taylorsville, 5.4 mi N. of, along State Highway 16, thence 2.2 mi E. along rd. to Vashti; 70 ft SSW. of intersection of NE.-SW. rd.; 9 ft SE. of stop sign; 42 ft ENE. of E. corner of wooden bridge; in concrete post; standard tablet stamped "69 ATA 1951 1192" (Reported destroyed, 1970) 1192.200

LINE 5 (Cont'd)Feet

Reference mark; 80 ft SE. of tablet; on W. side of rd.; on N. end of concrete headwall of culvert; chiseled square	1192.04
Taylorsville, 5.4 mi N. of, along State Highway 16; thence 5.2 mi generally E.; 1.6 mi ^W SE. of Vashti; 21 ft SE. of I-rd. junction; 5 ft E. of signpost; 9 ft NW. of 8 in pine tree; in concrete post; standard tablet stamped "70 ATA 1951 1343"	1342.973
Reference mark; 45 ft W. of tablet; on NW. side of rd.; on NW. end of corrugated iron pipe culvert; chiseled cross	1343.75
Taylorsville, 6.0 mi NE. of; 0.8 mi W. of Vashti; 140 ft SW. of SW. corner of house of R. P. Childers; 46 ft NE. of center of dirt rd.; 7 ft SE. of center of drive; in concrete post flush with ground; NGS standard triangulation disk stamped "VASHTI 1949"	1225.535
Reference mark No. 1; 16 ft NE. of centerline of dirt rd.; 4 ft N. of white witness post; in concrete post projecting 6 in; NGS standard disk stamped "VASHTI NO 1 1949"	1223.501
Reference mark No. 2; 100 ft SW. of SW. corner of house; 7 ft SE. of center of drive; in concrete post flush with ground; NGS standard reference disk stamped "VASHTI NO 2 1949"	1224.824
Vashti, 0.6 mi S. of, 30 ft SW. of private drive W.; 48 ft NNW. of NW. corner of wooden bridge; in concrete post; standard tablet stamped "71 ATA 1951 1076" (Reported not found, 1970)	1075.811
Reference mark; 48 ft SSW. of tablet; on W. end of N. wooden wingwall of bridge; copper nail and washer	1077.78
Vashti, 2.3 mi SE. of; 5.2 mi N. of Hiddenite; 60 ft N. of junction of rds.; 4 ft W. of telephone pole; in concrete post; standard tablet stamped "72 ATA 1951 1062"	1061.898
Reference mark; 200 ft S. of tablet; 18 ft S. of corrugated iron pipe culvert; 18 ft E. of center of rd.; on rock outcrop; chiseled square	1066.32
Hiddenite, 2.6 mi N. of, along rd. to Vashti; 60 ft NE. of junction of rd. E.; 70 ft W. of stop sign; in concrete post; standard tablet stamped "73 ATA 1951 1050" (Reported not found, 1970)	1050.181
Reference mark; 28 ft W. of tablet; on masonry headwall of culvert; chiseled square	1049.28
Hiddenite, 1.4 mi N. of; 90 ft N. of junction of rd. E.; 20 ft W. of center of main rd.; 3 ft S. of power pole; in concrete post; standard tablet stamped "74 ATA 1951 1074"	1094.084
Reference mark; 96 ft N. of tablet; 30 ft W. of center of rd.; on top of right-of-way marker; chiseled square	1094.93
NGS standard triangulation disk stamped "HIDDENITE 1949" (Described in line 1)	1166.376

NGVD 29
Elevations

1951

LINE 6.Feet

By A. T. Adams, 1951; Book AV 246

"55 ATA 1951 1018" (Described in line 1) 1018.117

Bradford Crossroads, 1.5 mi N. of; 20 ft NE. of crossroads; 4 ft SE. of signpost; in concrete post; standard tablet stamped "75 ATA 1951 977" (Reported not found, 1970) 976.738

Reference mark; 10 ft NW. of tablet; on NE. end of corrugated iron pipe culvert; chiseled cross 975.40

[Jogs into Turnersburg quadrangle]

Scotts; 35 ft E. of junction of rd. NE.; 28 ft WNW. of junction of rd. NE.; 28 ft WNW. of W. corner of wooden building; 4 ft E. of telephone pole; in concrete post; standard tablet stamped "77 ATA 1951 1024" (Reported not found, 1970) 1023.523

Reference mark; 15 ft N. of tablet; on SE. side of side rd.; on NE. end of masonry headwall of culvert; chiseled square 1021.66

Scotts, 1.5 mi N. of to I-rd. junction, thence 0.4 mi NW. along dirt rd.; 95 ft NW. of power pole; in concrete post; standard tablet stamped "78 ATA 1951 1019" 1018.431

Reference mark; 28 ft SE. of tablet; on N. end of corrugated iron pipe culvert; chiseled cross 1016.34

[Jogs into Turnersburg quadrangle]NGVD 23
Elevations

Smiths Store, 1.8 mi E. of, along dirt rd.; 48 ft NW. of junction of rd. N.; 95 ft NW. of Iredell-Alexander County line; 3 ft N. of sign post; in concrete post; standard tablet stamped "82 ATA 1951 1128" 1128.146

Smiths Store, 50 ft SE. of crossroads; 2 ft W. of stop sign; in concrete post; standard tablet stamped "83 ATA 1951 1196" (Reported not found, 1970) 1195.911

Reference mark; 350 ft E. of tablet; on W. side of Jack Smiths Store; on SE. corner of concrete base of gas pumps; chiseled cross 1180.81

LINE 7.

By A. T. Adams, 1951; Book AV 246

Claremont, 3.9 mi NE. of; 4.0 mi SW. of Sharon; 23 ft NE. of I-junction of rds.; 6 ft E. of rd. sign; 2 ft S. of barbed wire fence; in concrete post; standard tablet stamped "59 ATA 1951 986" 985.597

Reference mark; 200 ft W. of tablet; on N. side of rd.; on E. end of concrete headwall of culvert; chiseled square 979.91

Sharon, 2.1 mi SW. of, at Lookout Dam; 72 ft SE. of junction of rd. E.; 20 ft NE. of stop sign; 18 ft SW. of S. corner of small brick building; in concrete post; standard tablet stamped "60 ATA 1951 803" 803.470

Sharon, 3.2 km (2.1 mi) SW of, along SR 1502 (Sharon School Rd), 2.7 km (1.7 mi) NW from the I-40 underpass to SR 1006, thence SW along this road for 3.3 km (2.05 mi) to SR 150 thence NW for 0.1 km (0.05 mi) to Lookout Shoals Dam Power Plant Gate, in footing for power plant south door; 0.3 meters (10.0 ft) E of wall, 11.9 meters (39.2 ft) W of NE building corner. A bolt in center of a 2"x2" metal plate; a Duke Power Bench Mark Stamp "795.049" 795.123 ft
242.354 meters

LINE 7 (Cont'd)Feet

Reference mark; 230 ft NW. of tablet; at NE. end of bridge; on SE. end of concrete wingwall; chiseled square	806.54
Sharon; 90 ft SE. of crossroads; 11 ft SE. signpost; 20 ft NE. of center of rd.; 2 ft SW. of wire fence; in concrete post; standard tablet stamped "61 ATA 1951 998" (Reported not found, 1970)	998.064
Reference mark; 85 ft NW. of tablet; on W. end of concrete base of gas pumps in front of T. A. Millers Store; chiseled square	998.76
Sharon, 2.1 mi NW. of; 120 ft WNW. of crossroads; 25 ft S. of center of main rd.; 20 ft N. of center of dirt rd.; 3 ft NW. of telephone pole; 5 ft W. of signpost; in concrete post; standard tablet stamped "62 ATA 1951 1023"	1023.250
Reference mark; 22 ft E. of tablet; on SW. corner of concrete headwall of culvert; chiseled square	1021.57
Sharon, 4.0 mi NW. of; 90 ft SW. of junction of rd. W.; 12 ft S. of center of dirt rd.; 4 ft E. of stop sign; in concrete post; standard tablet stamped "63 ATA 1951 977" (Reported not found, 1970)	976.806
Reference mark; 135 ft E. of tablet; on SW. corner of concrete well top; chiseled square	979.00
Sharon, 6.0 mi NNW. of; 2.3 mi S. of Paynes Store; 180 ft SSW. of junction of rd. E.; 100 ft N. of church; 33 ft W. of center of rd.; 5 ft SSW. of power pole; in concrete post; standard tablet stamped "64 ATA 1951 1029" (Reported not found, 1970)	1028.883
* Paynes Store, 0.6 mi SE. of; 80 ft S. of junction of rd. E.; 10 ft NW. of center of private drive; 4 ft NE. of power pole; in concrete post; standard tablet stamped "65 ATA 1951 1129"	1129.614
Reference mark; 100 ft N. of tablet; on N. side of rd.; on E. end of concrete headwall of culvert; chiseled square	1131.16
Paynes Store, 1.7 mi NE. of; 36 ft SSW. of junction of rd. W.; 8 ft SE. of 18 in oak tree; 7 ft NE. of double oak tree; 20 ft W. of center of rd.; in concrete post; standard tablet stamped "66 ATA 1951 1180"	1180.545
Reference mark; 50 ft NE. of tablet; on E. side of rd.; on center of concrete headwall of culvert; chiseled square	1179.12
U.E., Taylorsville, 3.5 mi SE. of; chiseled square (Described in line 1)	1203.01

LINE 8.

By A. T. Adams, 1951; Book AV 246

"SHOALS 1948" (Described in line 1)

1027.761

LINE 8 (Cont'd)Feet

Sharon, 2.1 mi NW. of, thence 1.6 mi NE.; 93 ft ENE. of junction of rd. E.; 4 ft E. of stop sign; in concrete post; standard tablet stamped "67 ATA 1951 1022"	1021.970
Reference mark; 10 ft SW. of tablet; on N. end of concrete pipe culvert; chiseled square	1021.18
"62 ATA 1951 1023" (Described in line 7)	1023.258
Reference mark; 22 ft E. of tablet; chiseled square (Described in line 7)	1021.57

LINE 9.

By A. T. Adams, 1951; Book AV 246

"82 ATA 1951 1128" (Described in line 6)	1128.146
Rock Hill Church, 1.1 mi SW. of; 9 ft E. of E. corner of wooden bridge; 15 ft S. of center of rd.; 75 ft E. of junction of rd. N.; in concrete post; standard tablet stamped "84 ATA 1951 991"	990.722
Reference mark; 51 ft W. of tablet; in SW. wooden wingwall of bridge; copper nail and washer	988.63

[Jogs into Statesville, Ronda, and Dellaplane quadrangle]

Rock Hill Church, 0.5 mi NE. of, along junction of T-rd. thence 2.5 mi NW.; 35 ft E. of junction of County Roads 1449 and 1450; 46 ft E. of signpost; in concrete post; standard tablet stamped "86 ATA 1951 1387"	1386.527
--	----------

[Jogs into Dellaplane quadrangle]

McLeans Store, 2.6 mi E. of; 33 ft SE. of Y-junction of rds.; 3 ft SE. of signpost; in concrete post; standard tablet stamped "87 ATA 1951 1265" (Reported destroyed, 1970)	1265.283
Reference mark; 66 ft N. of tablet; on NW. side of rd.; on NW. end of concrete pipe culvert; chiseled square	1267.76
McLeans Store; 45 ft E. of junction of rd. NE.; 30 ft NE. of NW. fence corner of pasture; 2 ft N. of fence; in concrete post; standard tablet stamped "88 ATA 1951 1148"	1147.676
Reference mark; 110 ft N. of tablet; on S. end of concrete base of gas pump in front of McLeans Store; chiseled square	1151.44
"72 ATA 1951 1062" (Described in line 5)	1061.898

LINE 10.

By A. T. Adams, 1951; Book AV 246

"M 86 1935" (NGS)	944.116
-------------------	---------

NGVD 29
Elevations

LINE 10 (Cont'd)Feet

Taylorsville, 3.7 mi S. of courthouse, along State Highway 16; 1.8 mi N. of Millersville; 360 ft NE. of junction of rd. SW.; 80 ft SE. of center of hwy.; 10 ft E. of 8 in cedar tree; in center of circular plot of grass formed by drive to church; in concrete post; standard tablet stamped "32 ATA 1951 1107" (Reported not found, 1970)	1107.502
Reference mark; 150 ft WSW. of tablet; on W. side of rd.; on S. end of concrete headwall of culvert; chiseled square	1106.71
Taylorsville, 3.7 mi S. of courthouse, along State Highway 16, thence 2.5 mi W. along dirt rd.; 30 ft SE. of junction of rd. SE.; in W. corner of field; 2 ft SE. of wooden rail fence; in concrete post; standard tablet stamped "33 ATA 1951 1032" (Reported not found, 1970)	1031.724
Reference mark; 90 ft S. of tablet; on W. concrete wingwall of wooden bridge; chiseled square	1027.76
Taylorsville, 3.7 mi S. of, along State Highway 16, thence 4.3 mi generally W. along dirt rds.; 75 ft SW. of center of wooden bridge; 25 ft SSE. of center of rd.; 4 ft W. of power pole; in concrete post; standard tablet stamped "34 ATA 1951 1098" (Reported not found, 1970)	1097.668
Reference mark; 0.2 mi E. of tablet; on SE. side of rd.; on W. corner of concrete headwall of culvert; chiseled square	1134.11

LINE 11.

By A. T. Adams, 1951; Book AV 246

"M. 86 1935" (NGS)	881.691
Proper Store, 3.6 mi NE. of, along rd. and State Highway 16; 20 ft NE. of front steps to St. Peters Lutheran Church; 8 ft SW. of E. corner of church building; 3 ft SE. of front wall; in concrete post; standard tablet stamped "36 ATA 1951 1096"	1095.972
Reference mark; 85 ft N. of tablet; on SW. end of top concrete step of steps leading to basement of church; chiseled square	1095.75
Proper Store, 1.6 mi NE. of; on NE. corner of triangular plot of ground formed by junction of rd. SE.; 3 ft N. of stop sign; in concrete post; standard tablet stamped "37 ATA 1951 1125" (Reported not found, 1970)	1125.359
Reference mark; 5 ft NW. of tablet; on SE. side of rd.; on top of masonry headwall of culvert; chiseled square	1024.01

LINE 12.

By A. T. Adams, 1951; Book AV 246

There are not permanent marks in this line in this quadrangle.

NGVD 29
Elevations

1966

LINE 13.

Feet

By R. L. Meador, 1966; Book AV 1434

2	1	0.00	"78 ATA 1951 1019" (Described in line 6)	1018.431
2	2	0.86	Scotts, 1.1 mi N. of post office, along County Road 1562; 50 ft SW. of, and 5.0 ft lower than centerline of Road 1562 at junction of County Road 1564 N.; in top of SW. end of NW. concrete headwall of culvert over Fourth Creek; standard tablet stamped "301 JAS 1965 935"	934.946
2	3	1.79	Scotts, 0.1 mi N. of post office, along County Road 1562; 16 ft N. of, and 1.0 ft higher than centerline of rd. at RR. crossing; in top of SW. end of concrete base of steel RR. crossing sign; standard tablet stamped "302 JAS 1965 1031"	1031.102

LINE 14.

By J. L. Hubbard, 1963; Book AV 956

1	59	9.26	"46 ATA 1951 1153" (Described in line 4)	1153.093
---	----	------	--	----------

NGVD 29
Elevations