

THIRD-ORDER LEVELING  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

36-078-34  
ROXBORO QUADRANGLE  
2400 NORTH CAROLINA  
N3615-W7845/15  
DIAGRAM NJ 17-12  
GREENSBORO

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Granville and Person  
Counties


Final adjustment of 1975

Edition of 10/17/75

PR: WSM/kp

NGVD 29  
Elevations

SOUTH BOSTON  
(265 N.C.-13 VA.)



(USGS) VERTICAL CONTROL DATA

A. Quadrangle 360783

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (NGS)</u>	<u>PAGE NO.</u>
4 EOM 1950 383	3	J 93 1935	3
5 EOM 1950 587	3	U 98 1935	3
6 EOM 1950 492	3,3	Y 98 1935	4
20 RJN 1964 539	4		
<u>USED</u>			
T 2 B 5 1943	3		

NGVD 29  
Elevations

1950

LINE 1.Feet

By E. O. Miner, 1950; Book AV 204

2	1	6.62	Virgilina, 6.6 mi SW. of, along State Highway 49; at Triple Springs; 200 ft NE. of swimming pool; at offset crossroads; 27 ft N. of T-rd. S.; 62 ft E. of T-rd. N.; in concrete post; USED standard disk stamped "T 2 B 5 1943"	549.821
2	1	6.66	Reference mark; 190 ft SW. of tablet; on NE. corner of concrete foundation of gasoline pump; chiseled square	541.35
2	5	8.84	Triple Springs, 2.2 mi NW. of; 42 ft SW. of center of State Highway 518 over Mayo Creek; 37 ft W. of center of rd.; 19 ft S. of S. bank of creek; in concrete post; standard tablet stamped "4 EOM 1950 383"	382.957
2	9	11.44	Triple Springs, 4.8 mi W. of; 4.1 mi S. of N.C.-VA. State Line; 2.6 mi E. of Woodsdale; 62 ft E. of, and 1 ft lower than junction of U. S. Highway 501 and T-rd. W.; 3 ft W. of pole; in concrete post; standard tablet stamped "5 EOM 1950 587"	587.730
2	14	14.07	"U 98 1935 (NGS)	482.347
2	18	16.17	Woodsdale, 2.1 mi W. of; 178 ft W. of junction of State Highway 518 and 517 (T-rd. W.); 42 ft N. of center of rd.; 2 ft W. of pole; in concrete post; standard tablet stamped "6 EOM 1950 492"	492.360
2	18	16.12	Reference mark; 254 ft E. of tablet; in W. root of twin 12-in. thorn tree; rail spike	497.16

LINE 2.

By R. L. Meador, 1967; Book AV 1484

1	47	6.90	"5 EOM 1950 587" (Described in line 1)	587.730
---	----	------	--	---------

LINE 3.

By R. J. Neff, 1964; Book AV 1304

4	18	0.00	"J 93 1935" (NGS)	571.344
---	----	------	-------------------	---------

NGVD 29  
Elevations

LINE 3 (Cont'd)Feet

4 20 2.14 Timber Lake, 2.0 mi W. of, along County Road 1123; 4.5 mi E. of Hurdle mills; 1.7 mi W. of Roger's store; in E. end of N. concrete headwall of culvert; standard tablet stamped "20 RJN 1964 539" 539.330

LINE 4.

By R. J. Neff, 1964; Book AV 1304

5 2 0.00 "Y 98 1935" (NGS) 666.370

LINE 5.

By R. J. Neff, 1964; Book AV 1304

There are no permanent marks in this line in this quadrangle.

NGVD 29  
Elevations