THIRL-ORDER LEVELING
HATIONAL GEODETIC VERTICAL DATUM OF 1929

36-077-42
EMPORIA ONAURANGLE
8 VA.-266.7.c.
N3630-47730/15
DIAGRAM NJ 18-10
NORFOLK


## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Brunswick and Greensville Counties Va.; Northampton County, N.C.

Final adjustment of 1972

Edition of 8/1/75

PR: GWK/jyk



WHITE PLAINS (9 VA.-261 N.C.)

NGS (USCAGS) VERTICAL CONTROL DATA

A. Quadrangle 360774

## INDEX OF PERMANENT MARKS

MARK (USGS)	PAGE NO.	MARK (USGS)	PAGE NO.
91 1918	4	35 DOP 1961 148	. 6
110 1918	3	36 DOP 1961 240	6
133 1918	3	37 DOP 1961 286	6,6
138 1918	3	38 DOP 1961 239	6
143 1918	3	39 DOP 1961 187	7
153 1918	3	40 DOP 1961 230	7
163 1918	4	41 00P 1961 166	8
192	3	45 DOP 1961 122	8
203	3	TT 60 AAM 1961 165	6
247 1918	4	TT 61 AAM 1961 228	7
255 1918	3	TT 62 AAM 1961 RESET 1967	7
283 1918 RESET 1967	3	TT 63 AAM 1961 193	7
PTS NO 2 1918 117	3	TT 64 AAM 1961 285	7
PTS NO 6 1918 103	3	TT 72 AAM 1961 268	5,9
PTS NO 12 1918 249	3	TT 73 AAM 1961	9
PTS NO 14 1918 267	. 3	225 JAS 1963 124	9
PTS NO 26 1918	8		,
PTS NO 27 1918 231	3	NGS	
1 DOP 1961 144	4	Section .	
2 NOP 1961 136	4	T 70 1935	8,8
3 DOP 1961 180	4	BRINK 1959	6
4 00P 1961 187	5	WICK 1959	ÿ
5 DOP 1961 259	5	Y 102 X 1959	4
27 DOP 1961 259	4,8	M 382 1959	5
33 DOP 1961 145	5	STANCELL NO 1 (Azi. mk.)	6
34 DOP 1961 181	5	THE WINDS HINES	V

NGVD 29 Elevations

EMPORIA Books B 94, B 108 and B 173

200K3 0 314 0 200 dita 0 243	
ISOLATED BENCH MARKS (By C. R. French, S. L. Parker, Harris, 1918; Books B 94, B 108 and B 173)	Feet
North Emporia, 2.7 mi N. of; 0.2 mi S. of Moonlight Post Office, along Atlantic Coast Line Railroad; on E. side of track; in SE. corner of concrete base for automatic block signal; standard tablet stamped "110 1918" (Reported destroyed, 1935)	110.713
Emporia, 2.4 mi S. of, along A. C. L. RR.; on E. side of track; in SW. corner of concrete platform for automatic block signal; standard tablet stamped "138 1918" (Reported destroyed, 1935)	138.057
Skippers; 0.3 mi S. of post office, along A. C. L. RR.; on E. side of track; in SW. corner of concrete platform for automatic block signal; standard tablet stamped "143 1918" (Reported destroyed, 1935)	143.563
North Emporia; about 400 ft N. of junction of Southern Railway and A. C. L. RR.; on W. side of track; 12 ft W. of W. rail; on iron post; standard cap stamped "PRIM TRAV STA NO 6 1918 103" (Tied by NGS, 1935)	103.838
Pleasant Hill; 6 ft SE. of NE. corner of RR. station; on iron post; standard cap stamped "PRIM TRAV STA NO 2 1918 117" (Fied by NGS, 1935)	117.762
Emporia, 3.3 mi SW. of; at steel bridge crossing Fountain Creek; in top of E. end of S. abutment; standard tablet stamped "133 1918"	132.978
Brink; in NE. corner of crossroad; on iron post; standard cap stamped "PRIM TRAV STA NO 27 1918 231" (Reported destroyed, 1956)	231.508
Brink; 1.8 mi SW. of post office; in SW. corner of Fountain Creek Churchyard; 100 ft S. of large unpainted building; 20 ft W. of centerline of rd.; on iron post; standard cap stamped "PRIM TRAV STA NO 14 1918 267"	267.658
Barley; 360 ft SE. of junction of Secondary State Road 600, along Secondary State Road 627; 38 ft SE. of centerline of Road 627; 36 ft SM. of store of G. C. Clements; 1 ft SE. of Pole No. E3-120-1.133-S3; in concrete post flush with ground; standard tablet stamped "283 1918 RESET 1967"	285•497
Durand Station, 1.0 mi E. of; at T-rd. S.; 15 ft N. of conterline of Lawrence Road; opposite center of T-rd.; 40 ft SE. of telephone pole 129; on iron post; standard cap stamped "192"	192.51.8
Radium; 15 ft NE. of Southern Railway track; 50 ft SW. of centerline of Lawrenceville Road; 15 ft NW. of lane W.; 100 ft W. of post office building; on iron post; standard cap stamped "203"	203.819
Pleasant Shade; 280 ft W. of station; 30 ft S. of main track; on iron post; standard cap stamped "PRIM TRAV STA NO 12 1918 249".	249.139
Racume; 45 ft N. of station house; 18 ft W. of center of hwy.; on iron post; standard cap stamped "255 1918"	255.817
Raneys Mill; at Meherrin River Bridge; 130 ft S. of S. end of bridge; on ledge of granite rock 6 ft higher than roadway; standard tablet stamped "153 1918"	152-962

C. R. French and others

EMPORIA
Books 8 94, 8 108 and B 173

ISC	LATED	BENCH MAR	KS (Cont'd.)	Feet
Vulture Crossroad, 3.8 mi E. of; in front of residence of Charles Shaw; on S. side of rd.; 65 ft W. of shed; 18 ft S. of center of traveled way; 6 ft H. of rail fence; on iron post; standard cap stamped "247 1918"				
1	t NE.	•	mi SW. of; at Brewster Crossroad; in grass plot in center of crossroad; 5 gnpost; 18 ft SE. of 18-in. sweet gum tree; on iron post; standard cap gu	163.533
,			. of; on W. side of rd.; 40 ft N. of rd. W.; in center of top of concrete ll stream; standard tablet stamped "91 1918"	91.124
			LINE 1.	
D.	0. Pru	itt, 1961	; Book AV 858	
3	11	7.34	tawrenceville, 3.6 mi S. of, along State Highway 46, thence 1.4 mi E. along County Road 715, thence 1.8 mi S. along County Road 673, thence 2.7 mi NE. along County Road 674, thence 1.8 mi E. along County Road 683 to junction of County Road 670; 29 ft N. of, and 3 ft higher than centerline of junction; in concrete post; standard tablet stamped "27 DOP 1961 259"	259.104
			LINE 2.	
D.	0. Pru	itt, 1961	; Book AV 858	
3	44	0.00	"Y 102 X 1959" (NGS)   NGVD 29   Elevations	116.214
3	44	0.89	U.E., on top of NW. end of N. concrete culvert headwall; chiseled square	126.31
3	45	1.50	Pleasant Hill, 2.5 mi W. of, along State Highway 48; 0.5 mi E. of U. S. Interstate Highway 95; in top of SW. end of S. concrete culvert headwall; standard tablet stamped "1 00P 1961 144"	144.528
3	47	3.70	Pleasant Kill, 4.7 mi W. of, along State Highway 48; 1.7 mi SW. of U. S. Interstate Highway 95, along Highway 48; 2.0 mi NE. of Gaston, along Highway 48; 168 ft W. of private drive N.; 21 ft S. of, and about 3 ft lower than conterline of rd.; in top of SW. end of S. concrete culvert; standard tablet stamped "2 DOP 1961 136"	135.716
3	48	4.49	U.E., on top of SE. and of S. concrete culvert headwall; chiseled square	153.43
3	50	5.68	Gaston, at Gaston Texaco Service Center; about 150 ft N. of intersection of State Highways 48 and 46; in concrete base of Texaco sign; standard tablet stamped "5 00P 1961 180"	180.255
3	51	6.32	U.E., on top of NE. end of N. concrete culvert headwall; chisoled square	120.82

	36-077-42
ruitt	<i>70−01 -42</i>
1	Feet
	137.83
	187.002
	209.99
	231.60
	258.786
	238•3ħ
y	
	268.088
	90.466
	100.75
	100413

180.741

**EMPORTA** VA.-N.C. D. O. P Book AV 858 196 LINE 2 (Cont'd.) 3 52 6.87 U.E., on top of SE, end of S. concrete headvall; chiseled square Gaston, 2.1 mi NW. of, along State Highway 46; 69 ft W. of I-rd. N. 3 53 7.75 (County Road 1210); 16 ft S. of, and about 1 ft lower than centerline of rd.: in SW. end of S. concrete bridge headwall; standard tablet stamped "4 DOP 1961 187" 3 54 8.38 U.E., on top of N. end of concrete culvert; chiseled square 3 55 9.11 U.E., on top of N. end of concrete drainpipe; chiseled square 3 56 9.85 Gaston, 4.2 mi W. of, along State Highway 46; 3.4 mi E. of Vultare, along Highway 46; at Rook's Texaco Station and store; in center of concrete gasoline pump platform: standard tablet stamped "5 007 1961 259" U.E., on top of NE. and of N. catch basin; chiseled square 3 57 10.78 11.60 Vultare; 1.5 mi E. of crossroad (State Highway 46 and County Roads 1212 3 59 and 1213); 60 ft SE. of SE. corner of Vincent's store; 48 ft NE. of Highway 46; in concrete base of gasoline sign; standard tablet stamped "TT 72 AM 1961 268" LINE 3. NGVD 29 D. O. Pruitt, 1961; Book AV 858 Elevations 1 백M 382 1959개 (NGS) 0.00 2 1.72 U.E., on top of S. end of concrete drainpipe; chiseled square 3 2.16 Pleasant Hill;1.3 mi W. of post office, along State Highway 48, thence about 1.8 mi MV. along County Road 631; 1.9 mi W. of U. S. Interstate Highway 95, along County Road 631; 73 ft NE. of private drive NW.; 57 ft SW. and 39 ft S. of private drive N.; 1 ft N. of power pole; in concrete post; standard tablet stamped "33 DOP 1961 145" 145.181 2.84 4 U.E., on top of N. end of concrete drainpipe; chiseled square 155.22 5 3.86 U.E., on top of N. end of concrete drainpipe; chiseled square 195.64

> Pleasant Hill; 1.3 mi W. of post office, along State Highway 48, thence about 1.8 mi NV. along County Road 631 to U. S. Interstate Highway 95, thence 4.1 mi W. of Highway 95 along Road 631; 3.4 mi E. of Barley, along County Road 600, thence 1.5 mi NE. along County Road 633, thence 1.7 mi SE. along County Road 603; 126 ft H. and 65 ft E. of Virginia-North Carolina State line; about 5 ft lower than intersection of County Roads 603 and 631; in concrute post; standard tablet stamped "34 DOP 1961 181" (Reported destroyed, 1962)

6

4.38

Boo	ık AV	EMPORIA 858	VAN.C. D. 0. Pruf.	36-077-42 tt
		(Cont'd.)	1961	Fee
ł	9	6.94	Barley, 3.5 mi E. of, along County Road 600, thence 0.5 mi N. along County Road 633; in SE. wingwall of bridge over Beaverpond Creek; standard tablet stamped "35 DOP 1961 148"	147.6
ŧ	11	8.29	U.E., on top of S. end of concrete drainpipe; chiseled square	233.3
ŀ	12	8.70	Barley, 2.3 mi E. of, along County Road 600; in concrete base of gasoline pump at Pete's store; standard tablet stamped "36 DOP 1961 240"	240.3
ŧ	15	10.95	Barley; at store of W. C. Norwood; in center of concrete yasoline pump platform; standard tablet stamped "37 DOP 1961 286"	285.6
ł	16	11.68	U.E., on top of S. end of concrete drainpipe; chiseled square	219.9
}	17	12.47	Barley, 1.5 mi W. of, along County Road 600; at Greensville and Brunswick County line; 19 ft S. of, and level with centerline of rd.; 2 ft S. of county line sign; in concrete post; standard tablet stamped "38 DOP 1961 239"	239.4
			LINE 4.	
•	0. Pi	rultt, 196	1; Book AV 858	
	22	1.94	U.E., on top of NW. end of concrete drainpipe; chiseled square	290.7
	23	2.68	Barley, 1.5 mi SW. of; at North Carolina-Virginia State line; about 144 ft E. of lane crossing; 8 ft S. of centerline of lane; 47 ft SW. of large sweetgum tree; in concrete post; NGS standard azimuth mark disk stamped	
			"STANCELL NO 1"	289.8
,	24	3.31	U.E., on top of NW. end of concrete drainpipe; chiseled square	288.6
ł	25	4.13	"37 DOP 1961 286" (Described in line 3)	285.6
			LINE 5. NGVD 29	

Emporia; about 4.5 mi S. of crossing of U. S. Highway 58, along U. S. Interstate Highway 95; at overpass of County Road 639 over Highway 95; 22 ft SSE. of centerline of, and about level with Road 639; 62 ft SE. of, and across rd. from reference mark No. 2; 47 ft NE. of reference mark No. 1; 40 ft WSW. of N. end of W. abutment of overpass; 3 ft W. of steel witness post; in concrete post; NGS standard triangulation station disk stamped "BRINK 1959"

4 27 1.92 Emporia, 3.4 mi S. of, along U. S. Highway 301, thence 2.0 mi W. along County Road 639; 18 ft S. and 50 ft E. of junction of I-rd. S. (County Roads 639 and 650); about 1 ft lower than Road 639; in concrete post; standard tablet stamped "IT 60 AAM 1961 165"

165.237

173.408

	'n.				36-077-42
Вос	ok AV	EMPORIA 858	VA-H.C.	D. O. Pruitt	
I.IN	IE 5 (	(Contid.)		1961	Foet
4	28	2.60	U.E., on top of N. end of concrete drainpipe; chiseled square		195.12
4	29	3.94	Brink School; at S. entrance of school; in second step; standa stamped "TT 61 AAM 1961 228"	rd tablet	227.499
Ļ	32	6.03	Brink School, 2.0 ml W. of, along Secondary State Road 627 to Secondary State Road 659; 61 ft S. of centerline of Road 627; centerline of Road 659; in concrete post 0.7 ft above ground; tablet stamped "TT 62 AAM 1961 RESET 1967"	37 ft E. of	257•284
4	33	7.01	U.E., on top of N. end of concrete drainpipe; chiseled square		223.07
4	35	8.63	U.E., on top of W. end of concrete drainpipe; chiseled square	·	207.23
4	36	9.20	Brink School, 3.9 mi W. of, along County Road 627, thence 1.3 County Road 603; 49 ft S. of junction of County Roads 602 and of Road 603; in concrete post; standard tablet stamped		
			"TT 63 AMI 1961 193"		193.023
4	37	10.27	U.E., on top of N. end of concrete drainpipe; chiseled square		201.09
14	38	11.43	Brink School, 3.9 mi W. of, along County Road 627, thence 1.3 County Road 603, thence 2.3 mi W. along County Road 602; 1.6 m along County Road 601, thence 0.8 mi E. along Road 602; 75 ft E. of centerline of Road 602 and fire rd. NE.; 21 ft NW. of Ro SE. of fire rd.; in concrete post; standard tablet stamped "TT 64 AAV 1961 285"	i E. of Triplet, N. and 47 ft and 602; 32 ft	284•937
			LINE 6. Elev	SVD 29 <sup>(atlons</sup>	
D.	0. Pr	u <b>i</b> tt, 196	1; Book AV 858		
4	41	0.00	Emporia; 1.2 mi W. of crossing of U. S. Highway 58, along U. S. Highway 95; 16 ft NW. of centerline of County Road 611; 40 ft mark No. 1; 36 ft NW. of, and across rd. from reference mark N than centerline of rd.; 4 ft SE. of NW. end of abutment; in SW County Road 611 overpass over Highway 95; NGS standard trianguidisk stamped "WICK 1959"	SW. of reference o. 2; 1 ft higher . abutment of	158.156
4	42	2.13	U.E., on top of S. end of concrete drainpipe; chiseled square		195.96
4	43	3.14	Emporia; 3.1 mi W. of junction of U. S. Interstate Highway 95, Road 611; at Doyle's Store; in concrete base of gasoline pump; tablet stamped 1739 DOP 1951 187"		187.489
4	45	5.49	Emporia; 5.5 mi W. of junction of U. S. Interstate Highway 95 Road 611, along Road 611; at N. entrance of Independence Churc of W. end of bottom step; standard tablet stamped "40 DOP 1961	h; on top	229.607

D. O. Pruitt 1961 County	36-077-42		
	Feet		
• of			
	294.335		
	251.38		
	207.96		
W. S. end amped	166.273 193.85 259.104		
.9 ai S. NW.	121.808		

118.773

	4-0			
Book AV	858		1961	
LINE 6 (	Cont'd。)			Feet
4 48	7.58	Emporia; 7.6 mi W. of junction of U. S. Interstate Highway 95 Road 611, along Road 611; at junction of County Road 675; W. junction; W. of cedar tree; on iron post; standard cap stampe "PRIM TRAV STA NO 26 1918"	and S. of	4•335
4 49	8.55	U.E., on top of E. end of concrete drainpipe; chisaled square	25	1.38
4 50	9.31	U.E., on top of S. end of concrete drainpipe; chiseled square	20	7.96
4 52	10.91	Emporia; 10.9 mi W. of junction of U. S. Interstate Highway 9 County Road 611; 7.6 mi W. along County Road 611, thence 3.3 along County Road 675; about 6 ft lower than centerline of rd of SW. headwall of hridge over Eightfoot Creek; standard table 141 DOP 1961 166"	mi NMW. ; in S. end et stamped	6.273
4 53	11.49	U.E., on top of E. end of concrete drainpipe; chiseled square	193	3.85
4 55	12.79	"27 DOP 1361 259" (Described in line 1)	29	9.104
		LINE 7.		
0. 0. Pr	vitt, 1961	1; Book AV 358		
5 10	8.20	Jarratt, 7.8 ml SW. of; 2.4 ml SW. along County Road 610, the along County Road 614, thence 0.5 ml MV. along County Road 61 wingwall of bridge over Slagles Pond; standard tablet stamped 145 DOP 1961 122"	7; in 1W.	1.808
		LINE 8.		
J. E. St	oner, 1963	3; Book AV 964		
3 10	<b>7.</b> 51	"T 70 1935" (NGS)  LINE 9.  NGVD  Elovation	•	8.773

VA.-H.C.

**EMPORTA** 

J. E. Stoner, 1963; Book AV 964

3 12

"T 70 1935" (NGS) (Also in line 8)

	9			36-077-42
Re	ok AV	EMPORIA 964	VAH.C. J. E. Stoner	
		(Cont'd.)	1963	<u>Feet</u>
· 3	16	2.22	Emporia; 0.7 mi S. of courthouse, along U. S. 301, thence 1.2 mi SE. along Secondary State Road 730; 15 ft N. and 6 ft E. of junction of I-rd. SW. (County Roads 730 and 622); 9 ft SE. of 15-in. sweetgum tree; in concrete post; standard tablet stamped "TT 73 AAM 1961"	91.824
3	29	9.66	Reference mark; 101 ft E. of tablot; in root on NE. side of 15-in. oak tree; copper neil and washer	125.237
3	30	9.68	Emporia; 0.7 mi S. of courthouse, along U. S. Highway 301, thence 1.5 mi SE. along Secondary State Road 730, thence 4.5 mi SE. along Secondary State Road 622, thence 1.7 mi S. along Secondary State Road 660; at drive NW.; 50 ft NW. of, and 1 ft lower than centerline of rd.; 7 ft SW. of conterline of drive NW.; 2 ft NW. of power pole No. DA-713; 0.5 ft NE. of metal witness post; in top of concrete post projecting 0.2 ft.; standard tablet stamped 1225 JAS 1963 124"	124,524
3	31	10.09	U.E., 25 ft S. and 10 ft W. of, and level with conterline of rd.; at field rd. E.; in root on E. side of 24-in. beechnut tree; copper nail and washer	124.95
			LINE 10.	
М,	Ko W	eber, 1972;	; Book AV 1630	
2	23	4.87	"TT 72 AWM 1961 268" (Described in line 2)	268.088

.(

NGVD 29 Elevations 260 N.C. - 8 VA. EMPORIA QUADRANGLE WITH OVEREDGE

N3630-W7730/15

138.057

VA.-N.C. UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY


Third, order leveling by C. R. French, 1918; E. E. Harris, 1918; S. L. Parker, 1918; D. O. Pruitt, 1961

Fieldbooks: AV 857 b, c, d, e

Bench Mark Books: B94; B108; B173; AV 858 a UNADJUSTED FIELD ELEVATIONS

SEA LEVEL DATUM OF 1929

Counties: Brunswick and Greensville, Virginia; Northampton, North Carolina



<sub>\*</sub>3 EMPORIA VA.-N.C. Bks. B94, B108, B173 12/6/61 ale

-----State Line

ISOLATED BENCH MARKS ESTABLISHED PRIOR TO 1919 (Books B94, B108 and

North Emporia, 2.7 mi N. of; 0.2 mi S. of Moonlight Post Office, along Atlantic Coast Line Railroad; on E. side of track; in SE, corner of concrete base for automatic block signal; standard tablet stamped "110 1918" (Reported destroyed, 1935) 110.713

Emporia, 2.4 mi S. of, along A. C. L. RR.; on E. side of track: in SW. corner of concrete platform for automatic block signal; standard tablet stamped "138 1918" (Reported destroyed, 1935)

Skippers, 0.3 mi S. of post office, along A. C. L. RR.; on E. side of track; in SW. corner of concrete platform for automatic block signal; standard tablet stamped "143 1918"

143.563 (Reported destroyed, 1935) North Emporia; about 400 ft N. of junction of Southern Railway and A. C. L. RR.: on W. side of track: 12 ft W. of W. rail; on iron post; standard cap stamped "PRIM TRAV STA NO 6 1918 103" (Tied by USC&GS, 1935) 103.838

Pleasant Hill; 6 ft SE. of NE. corner of RR. station; on iron post: standard cap stamped

"PRIM TRAV STA NO 2 1918 117" (Tied by USC&GS, 1935) 117.762 EMPORIA QUADRANGLE WITH OVEREDGE

N3630-W7730/15 VA.-N.C.

INDEX OF PERMANENT MARKS

MARK (USGS)	PAGE NO.	MARK (USGS)	PAGE NO.
192 203 83 1918 91 1918 110 1918 133 1918 133 1918 133 1918 133 1918 153 1918 153 1918 153 1918 155 1918 247 1918 255 1918 283 1918 299 1918 TT PRIM TRAV STA NO 2 1918 PRIM TRAV STA NO 11 191 182 PRIM TRAV STA NO 12 191 267 PRIM TRAV STA NO 12 191 267 PRIM TRAV STA NO 14 191 267 PRIM TRAV STA NO 15 191 325	5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5	TT 63 AAM 1961 193 TT 64 AAM 1961 285 TT 65 AAM 1961 285 TT 75 AAM 1961 268 1 DOP 1961 144 2 DOP 1961 1436 3 DOP 1961 187 5 DOP 1961 187 5 DOP 1961 259 7 DOP 1961 259 7 DOP 1961 259 28 DOP 1961 259 28 DOP 1961 259 28 DOP 1961 185 34 DOP 1961 181 35 DOP 1961 181 36 DOP 1961 181 36 DOP 1961 240 37 DOP 1961 286 38 DOP 1961 286 38 DOP 1961 286 38 DOP 1961 239 39 DOP 1961 230 41 DOP 1961 187 40 DOP 1961 187 40 DOP 1961 155 45 DOP 1961 155 46 DOP 1961 173 47 DOP 1961 122 46 DOP 1961 121	24 24 13 17 15 16 21 10 11,28 18 18 19 20,22 20 26 27 28 29 30
315 PRIM TRAV STA NO 26 19: PRIM TRAV STA NO 27 19: 231 TT 11 AAM 1961 290 TT 12 AAM 1961 282 TT 13 AAM 1961 282 TT 60 AAM 1961 282 TT 60 AAM 1961 282		USCAGS  BRINK 1959 KE 1 KE 1 NO 1 KE 1 NO 2 STANCELL NO 1 WICK 1959 M 362 1959 Y 102 X 1959	22 7,31 6 7 21 25 17



EMPORIA VA.-N.C. B94, B108, B173 12/6/61 ale Pleasant Hill, 2.7 mi S. of; at Dumfrees (Depress) rd. crossing: 30 ft E. of center of A. C. L. RR. track; 10 ft S. of centerline of rd.; near corner fence post; on iron post; standard cap stamped "155 1918" 155.709 Emporia, 3.3 mi SW. of; at steel bridge crossing Fountain Creek: in top of E. end of S. abutment: standard tablet stamped "133 1918" 132.978 Brink; in NE. corner of crossroads; on iron post; standard cap stamped "PRIM TRAV STA NO 27 1918 231" (Reported destroyed, 1956) 231.508 Brink, 1.8 mi SW. of post office; in SW. corner of Fountain Creek Churchyard; 100 ft S. of large unpainted building: 20 ft W. of centerline of rd.: on iron post: standard cap stamped "PRIM TRAV STA NO 14 1918 267" 267.658 Barley; 6 ft W. of SW. corner of T-rd. W.; on iron post; standard cap stamped "283 1918" 283.571 Durand Station, 1.0 mi E. of; at T-rd. S.; 15 ft N. of centerline of Lawrence Road; opposite center of T-rd.; 40 ft SE. of telephone pole 129; on iron post; standard cap stamped "192" 192,518

EMPORIA VAN.C. Bks. B94, B108, B173 12/6/61 ale	
Radium; 15 ft NE. of Southern Railway track; 50 ft SW. of	
centerline of Lawrenceville Road; 15 ft NW. of lane W.;	1.0
100 ft W. of post office building; on iron post; standard	
cap stamped "203"	203.819
Pleasant Shade; 280 ft W. of station; 30 ft S. of main	1.1
track; on iron post; standard cap stamped	
"PRIM TRAV STA NO 12 1918 249"	249.139
Racume; 45 ft N. of station house; 18 ft W. of center	
of hwy.; on iron post; standard cap stamped "255 1918"	255.817
Raneys Mill; at Meherrin River Bridge; 130 ft S. of S.	
end of bridge; on ledge of granite rock 6 ft higher than	
roadway; standard tablet stamped "153 1918"	152.962
Vultare Crossroads, 3.8 mi E. of; in front of residence	
of Charles Shaw; on S. side of rd.; 65 ft W. of shed;	
18 ft S. of center of travelled way; 6 ft N. of rail	
fence; on iron post; standard cap stamped "247 1918"	247.645
Roanoke Rapids, 2.5 mi N. of; at T-rd. S.; 3 ft N. and	
9 ft E. of N. corner of Fitzhughs Store; on iron post;	
standard cap stamped "PRIM TRAV STA NO 11 1918 182"	
(Reported not found, 1961)	182.366
Pleasant Hill, 5.0 mi SW. of; at Brewster Crossroads; in	
grass plot in center of crossroads; 5 ft NE. of old	
signpost; 18 ft SE. of 18-in. sweet gum tree; on iron	
post; standard cap stamped "163 1918"	163.533

,		
6 EMPO Bks. B94, B1	ORIA VAN.C. 08, B173 12/b/61 ale	
Emporia, 2.4	mi SE. of; on W. side of rd.; 40 ft N. of rd. W.;	
in center o	f top of concrete culvert over small stream;	
standard ta	blet stamped "91 1918" 91 12	ŧ
Fitzhugh Post	Office; 50 ft SE. of crossroads; on iron	
post; stand	ard cap stamped "PRIM TRAV STA NO 19 1918 315" 315.32	7
Triplet; 35 f	t SW. of crossroads; 60 ft W. of post office	
building; o	n iron post; standard cap stamped "299 1918' TT" 298.896	ó
Vultare; 45 f	t W. of intersection of crossroads; SW. of	
rd.; on iro	n post; standard cap stamped	
"PRIM TRAV	STA NO 15 1918 325" 325.981	L
Emporia, 5.5	mi SE. of; on W. edge of rd.; 950 ft N. of	
store of W.	E. Allen; in center of concrete culvert;	
standard ta	blet stamped "83 1918" 83.101	L
	LINE 1.	
ALONG ROADS S (By D. O. Pru	outh and generally west in mckenney quadrangle itt, 1961; Book av 857 b)	
2 8 6.11	U.E., on top of E. end of concrete drain-	
•	pipe; chiseled square, painted "UE 242.2" 242.226	j
2 9 6 <b>.5</b> 6	Reference mark No. 1; 126 ft N. of disk;	
•	52 ft W. of centerline of rd.; in grove of	
	small pine trees; in concrete post; USC&GS standard reference mark disk stamped	
	"KE 1 NO 1" 261.831	

	7	EMPO	RIA VAN.C. D. O. Pruitt	
В	ook AV	857 b	12/6/61 ale	
Ī	INE 1	(Cont'	a.)	
2	9	6.56	Reference mark No. 2; 138 ft S. of disk;	
			24 ft W. of centertine of rd.; in burrow	
			pit on W. side of rd.; USC&GS standard	
;			reference mark disk stamped "KE 1 NO 2"	262.458
. 2	9	6.56	Emporia, about 7.0 mi NW. of; on land owned	
	transis in		by Vendel Kei; 66 ft W. of centerline of rd.;	
			29 ft W. of triangular-blazed 18-in. oak	* ** ****
			tree; in concrete post; USC&GS standard	
			triangulation station disk stamped "KE 1",	
		ď.	painted "BM 263.1"	263.145
2	10	7.13	U.E., on top of N. end of metal drainpipe;	
	•		painted circle, painted "UE 228.2"	228.168
2	11	7.69	U.E., on top of NW. end of concrete drain-	
			pipe; chiseled square, painted "UE 226.8"	226.779
2	12	8.62	U.E., in centerline of intersection of	
- 1.			crossroads (County Road 606 and State Highway	
			58); copper nail and washer, painted	
خت		3-1	"UE 280.1"	280.146
	Ŋ. 17 .			100

LINE 1 (Cont'd.) 2 13 9.25 Freeman Post Office, 0.3 mi N. of, along macadam rd. to crossroads (U.S. Highway 58), thence 2.1 mi E. along Highway 58 to County line; 6 ft N. and 98 ft E. of crossroads at County line; 26 ft N. of centerline of Highway 58; in concrete post; standard tablet stamped "TT 14 AAM 1961 282", painted "BM 282.1" 282.108 2 14 10.36 U.E., in centerline of junction of private drive S.; copper nail and washer, painted "CL 274.3" 274.311 ~ 2 15 11.32 U.E., in centerline of intersection of crossroads (County Road 634 and U. S. Highway 58); copper nail and washer, painted "CL "CL 275.4" 275,400 2 16 12.03 Freeman; 53 ft S. and 30 ft W. of centerline of rd. at RR. crossing; 6 ft S. and 1 ft W. of telephone pole 377; in concrete post; standard tablet stamped "TT 13 AAM 1961 234", painted "BM 234.4"

Book AV 857 b

12/6/61 ale

EMPORIA Book AV 857 b 12/6/61 ale VA.-N.C. D. O. Pruitt 1961 LINE 1 (Cont'd.) 2 17 13.62 U.E., centerline of intersection of County Road 606 and RR.; on N. rail, painted "CT. 255.0" 254.976 2 18 14.21 Edgerton Post Office, 0.9 mi E. of, along U. S. Highway 58 to junction of T-rd. S., thence 0.1 mi across RR, track to T-rd., thence 2.2 mi SE, along County Road 606 to junction of County Road 687; 130 ft S. and 100 ft E. of junction; 18 ft S. of centerline of rd.; 5 ft E. of 30-in. pine tree; in concrete post; standard tablet stamped "TT 12 AAM 1961 282", painted "BM 281:8" 281.826 2 19 15.12 U.E., in centerline of junction of County Road 735 S.; copper nail and washer, painted "CL 302.5" 302.469 2 20 15.63 U.E., centerline of junction of County Road 606 and RR.; top of NW. rail, painted "CT, 302 8" 302,802

EMPORIA 7 b 12/6/61 ale VA.-N.C. D. O. Pruitt Book AV 857 b LINE 1 (Cont'd.) 2 21 16.55 Edgerton Post Office, 0.9 mi E. of, along U. S. Highway 58 to T-rd. S.; 36 ft S. and 64 ft. W. of, and about 2 ft higher than centerline of junction of E. fork of T-rd. S,; 47 ft N. of N. rail of RR.; in top of large granite boulder; standard tablet stamped "TT 11 AAM 1961 290", painted "BM 289.9" 289.866 LINE 2. FROM WHITE PLAINS QUADRANGLE ALONG ROADS EAST TO POINT 2.4 MILES NORTHEAST OF FITZHUGH THENCE SOUTHWEST INTO WHITE PLAINS QUADRANGLE (By D. O. Pruitt, 1961; Book AV 857 c) 3 8 5.58 Lawrenceville, 3.6 mi S. of, along State Highway 46, thence 1.4 mi E. along County Road 715, thence 1.8 mi S. along County Road 673, thence 2.7 mi NE, along County Road 674 to junction of County Road 683; 23 ft W. of, and 1 ft higher than centerline of junction: in concrete post: standard tablet stamped "26 DOP 1961 219", painted "BM 218.6" 218.640

6.26 U.E., on top of N. end of concrete culvert drainpipe; chiseled square, painted

"UE 235.3"

## NGVD 29 Elevations

235.341

EMPORIA Book AV 857 c 12/6/61 ale VA.-N.C. EMPORIA Book AV 857 c 12/6/61 ale VA.-N.C. D. O. Pruitt D. O. Pruitt 1961 1961 LINE 2 (Cont'd.) LINE 2 (Cont'd.) 3 10 6.74 U.E., at creek crossing; on center of S. 3 14 9.63 Lawrenceville, 3.6 mi S. of, along State stone headwall; chiseled square, painted Highway 46, thence 1.4 mi E. along County "UE 189.6" Road 715, thence 1.8 mi S. along County 189,606 3 11 7.34 Lawrenceville, 3.6 mi S. of, along State Road 673, thence 2.7 mi NE. along County Highway 46, thence 1.4 mi E. along County Road 674, thence 1.8 mi E. along County Road 715, thence 1.8 mi S. along County Road Road 683, thence 2.3 mi SW, along County 673, thence 2.7 ml NE. along County Road Road 670; 3.4 mi NE. of Wyche, along 674, thence 1.8 mi E. along County Road County Road 670 to junction of County 683 to junction of County Road 670; 29 ft Road 611; 41 ft S. and 33 ft E. of N. of, and 3 ft higher than centerline of junction; on iron post; standard cap junction; in concrete post; standard tablet stamped "PRIM TRAV STA NO 19 1918 315", stamped "27 DOP 1961 259", painted painted "BM 315.0" (Also described in "BM 259.1" 259.143 isolated bench marks) 315.015 3 12 8.15 U.E., 3 ft lower than centerline of rd.; 3 15 10.40 U.E., on top of E. end of concrete culvert on top of SE, end of concrete culvert draindrainpipe; chiseled square, painted pipe; chiseled square, painted "UE 270.1" 270.051 261.186 3 13 8.83 U.E., on SE. corner of E. stone headwall; 3 16 11.37 Wyche, 1.5 mi NE. of, along County Road chiseled square, painted "UE 265.1" 265.095 670 to Junction of County Road 672: 16 ft E. of, and level with junction; in concrete post; standard tablet stamped "28 DOP 1961 300", painted "BM 299.8" 299.793 3 17 12.26 U.E., on top of NW. end of metal drainpipe; painted circle, painted "UE 248.9" 248.880

13					14		and the second s	
Book /	EMP AV 857 c	ORIA VAN.C. D. O. Pruitt 12/6/61 ale		Во	ok AV	857 c	ORIA VAN.C. D. O. Pruitt 12/6/61 ale	
LINE 2	2 (Cont'	d.)		LI	NE 3	(Cont'	1961 d.)	
3 18	12.91	Triplet, 2.2 mi NW. of, along County Road		3	29	3.84	U.E., in centerline of junction of T-rd.	
٠.		602 to junction of County Road 670 at Wyche;					NW. (County Road 690); copper nail and washer,	
i		57 ft S. and 30 ft W. of junction; 10 ft					painted "CL 282.9"	282.942
		SW. of hwy. marker; in concrete post; standard		3	30	4.31	U.E., in centerline of junction of T-rd. W.;	
		tablet stamped "TT 65 AAM 1961 308", painted	1 1				(County Road 600); copper nail and washer,	
		"BM 308.1"	308.142					281.091
		LINE 3.					LINE 4.	
ALONG D. O.	ROADS S	OUTHEAST AND SOUTH IN WHITE PLAINS QUADRANGLE (1 1961; Book AV 857 c)	Ву	AN	D WES	TINTO	O MILE WEST OF PLEASANT HILL ALONG ROADS SOUTHWES WHITE PLAINS QUADRANGLE (By D. O. Pruitt, 1961;	ST
3 25	0.00	"TT 65 AAM 1961 308" (Described in line 2)	308.142			857 c		116.214
3 25	0.69	U.E., on top of E. end of metal drainpipe;		-	44			110.214
		painted circle, painted "UE 286.9"	286.908	3	44	0.89	U.E., on top of NW. end of N. concrete	
3 26	1.41	U.E., on top of NE. end of metal drainpipe;					culvert headwall; chiseled square, painted	106 000
		painted circle, painted "UE 267.3"	267.288	_				126.288
3 27	2.07	Triplet; 25 ft S. and 25 ft W. of T-rd. W.		3	45	1.50	Pleasant Hill, 2.5 mi W. of, along State	
		at offset crossroads; 22 ft S. of County					Highway 48; 0.5 mi E. of U. S. Interstate	2.5
		Road 602; 29 ft W. of County Road 672; on					Highway 95; in top of SW. end of S. concrete	
		iron post; standard cap stamped "299 1918 TT"					culvert headwall; standard tablet stamped	
		(Also described in isolated bench marks)	298.677					144.495
3 28	2.95	U.E., on top of E. end of concrete drain-		3	46	2.64	U.E., in centerline of intersection of cross-	
		pipe; chiseled square, painted "UE 258.7"	258.663				roads (State Highway 48 and County Road	
		그렇게 들어 되었다면서 얼룩하셨다. 그					1200); copper nail and washer, painted	
							"CL 154.3"	154.263
								elija er e
15								
	EMP	ORIA VAN.C. D. O. Pruitt		-	. 16		ORIA VAN.C. D. O. Pruitt	14 5.1
	4 (Cont	1901					12/6/61 ale	
		Pleasant Hill, 4.7 mi W. of, along State	n de desenviolente. La companya de la co			(Cont'		
3 47	3.10	Highway 48; 1.7 mi SW. of U.S. Interstate		3	52	6.87	U.E., on top of SE. end of S. concrete	
		Highway 95, along Highway 48; 2.0 mi NE.		_			headwall; chiseled square, painted	
		of Gaston, along Highway 48; 168 ft W. of						137.682
		private drive N.; 21 ft S. of, and about		3	53	7.75	Gaston, 2.1 mi NW. of, along State Highway	
		3 ft lower than centerline of rd.; in top					46; 69 ft W. of T-rd. N. (County Road 1210);	- : : <u>.</u> (*)
		of SW. end of S. concrete culvert; standard					16 ft S. of, and about 1 ft lower than center-	
							line of rd.; in SW. end of S. concrete bridge	
		tablet stamped "2 DOP 1961 136", painted	135.636				headwall; standard tablet stamped	
		"BM 135.6"	137.030				"4 DOP 1961 187", painted "BM 186.8"	186.834
3 48	3 4.49			3	54	8.38	U.E., on top of N. end of concrete culvert;	
		culvert headwall; chiseled square, painted	152 222				chiseled square, painted "UE 209.8"	209.814
Hayin.		"UE 153.3"	153 - 333	3	55	9.11	U.E., on top of N. end of concrete drain-	
3 4	9 5.16	U.E., in centerline of junction of T-rd. S.					pipe; chiseled square, painted "UE 231.4"	231.405
		(Clark Street); copper nail and washer,	160 hc=	3	56	9.85	Gaston, 4.2 mi W. of, along State Highway	
	11:14	painted "CL 169.4"	169.425				46; 3.4 mi E. of Vultare, along Highway 46;	
3 5	5.68						at Rook's Texaco Station and store; in	
		about 150 ft N. of intersection of State					center of concrete gasoline pump platform;	
1 20 2								
1.7		Highways 48 and 46; in concrete base of			er 1		standard tablet stamped "5 DOP 1961 259",	
		Highways 48 and 46; in concrete base of Texaco sign; standard tablet stamped			e* 1			258.573
			180.132	3				258.573

120.684

17 EMPORIA ENOR AV 857 c 12/6/61 ale  LINE 4 (Cont'd.)  D. O. Pruitt 1961	18 EMPORIA VAN.C. D. O. Pruitt Book AV 857 d 12/6/61 ale 1961 LINE 5 (Cont'd.)
3 58 11.28 U.E., in centerline of junction of T-rd. S.;	4 2 1.72 U.E., on top of S. end of concrete drain-
copper nail and washer, painted "CL 243.3" 243.285	pipe; chiseled square, painted "UE 100.7" 100.74
3 59 11.60 Vultare, 1.5 mi E. of crossroads (State	4 3 2.16 Pleasant Hill, 1.3 mi W. of post office, along
Highway 46 and County Roads 1212 and 1213);	State Highway 48, thence about 1.8 mi NW.
60 ft SE. of SE. corner of Vincent's store;	along County Road 631; 1.9 mi W. of U. S.
48 ft NE. of Highway 46; in concrete base of	Interstate Highway 95, along County Road
gasoline sign; standard tablet stamped	631; 73 ft NE. of private drive NW.; 57 ft
"TT 72 AAM 1961 268", painted "BM 267.8" 267.837	SW. and 39 ft S. of private drive N.;
3 60 12.51 U.E., on top of N. end of metal drainpipe;	1 ft N. of power pole; in concrete post;
painted circle, painted "UE 302.1" 302.088	standard tablet stamped "33 DOP 1961 145",
3 61 13.22 U.E., Vultare; in centerline of intersection	painted "BM 145.2" 145.16
of crossroads; copper nail and washer,	4 4 2.84 U.E., on top of N. end of concrete drainpipe;
painted "CL 323.8" 323.796	chiseled square, painted "UE 155.2" 155.19
LINE 5.	4 5 3.86 U.E., on top of N. end of concrete drainpipe;
FROM POINT 3.3 MILES NORTHWEST OF PLEASANT HILL ALONG ROADS GENERALLY WEST AND NORTHWEST BY WAY OF BARLEY INTO WHITE PLAINS QUADRANGLE	chiseled square, painted "UE 195.6" 195.61
(By D. O. Pruitt, 1961; Book AV 857 d)	4 6 4.38 Pleasant Hill, 1.3 ml W. of post office, along
4 1 0.00 "M 382 1959" (USC&GS) 90.465	State Highway 48, thence about 1.8 mi NW.
This Elev. 90.465 USC&GS Elev. 90.466	along County Road 631 to U.S. Interstate
Closure001	Highway 95, thence 4.1 mi W. of Highway 95
4 1 1.09 U.E., in centerline of intersection of	along Road 631; 3.4 mi E. of Barley, along
crossroads (County Roads 629 and 631);	County Road 600, thence 1.5 mi NE. along
copper nail and washer, painted "CL 125.7" 125.685	County Road 633, thence 1.7 mi SE. along
	County Road 603; 126 ft N. and 65 ft E. of
	Virginia-North Carolina State line; about
	5 ft lower than intersection of County Roads
	603 and 631; in concrete post; standard tablet stamped "34 DDF 1961 181", painted "BM 180.7" 180.71
and the second s	in the second of

Во	19 ok AV	EMP 857 d	ORIA VAN.C. D. O. Pruitt 12/6/61 ale	
LI	NE 5	(Cont'	d.)	
4	7	5.19	U.E., in centerline of junction of private	
			drive W.; copper nail and washer, painted	
			"CL 226.9"	226.896
4	8	5.98	U.E., in centerline of intersection of SW	
			NE. rd. (County Roads 633 and 603); copper	
			nail and washer, painted "CL 233.2"	233.211
4	9	6.94	Barley, 3.5 mi E. of, along County Road 600,	
			thence 0.5 mi N. along County Road 633; in	
			SE. wingwall of bridge over Beaverpond Creek;	
		-	standard tablet stamped "35 DOP 1961 148",	
			painted "BM 147.6"	147.594
			WL = 143 ft	
4	10	7.45	U.E., in centerline of junction of T-rd. S.;	
			copper nail and washer, painted "UE 225.3"	225.303
4	11	8.29	U.E., on top of S. end of concrete drainpipe;	
			chiseled square, painted "UE 233.3"	233.262
4	12	8.70	Barley, 2.3 mi E. of, along County Road 600;	
			in concrete base of gasoline pump at Pete's	
			store; standard tablet stamped	
			"36 DOP 1961 240", painted "BM 240.3"	240.297
4	13	9.49	U.E., in centerline of junction of private	
			drive S.; copper nail and washer, painted	
			"CL 215.9"	215.868

	20	EMP	PORIA VAN.C. D. O. Pruitt	
Во	ok A	v 857 d	1 12/6/61 ale	
LI	NE 5	(Cont'	1961	
4	14	10.32	U.E., centerline of junction of rd. at	
			drain crossing; in center of wooden bridge;	
			copper nail and washer, painted "UE 239.4"	39.418
4	15	10.95	Barley, at store of W. C. Norwood; in center	
			of concrete gasoline pump platform; standard	
		136.36	tablet stamped "37 DOP 1961 286", painted	
			"вм 285.6"	85.621
4	16	11.68	U.E., on top of S. end of concrete drainpipe;	
			chiseled square, painted "UE 219.9"	19.921
4	17	12.47	Barley, 1.5 mi W. of, along County Road 600;	
			at Greensville and Brunswick County line;	
			19 ft S. of, and level with centerline of rd.;	
			2 ft S. of County line sign; in concrete post;	
			standard tablet stamped "38 DOP 1961 239",	
			painted "BM 239.4"	39.379
4	18	13.23	U.E., on top of S. end of concrete drainpipe;	
			chiseled square, painted "UE 243.7" 2	43.747
4	19	13.90	U.E., "281.1" (Described in line 3)	81.193
			This Elev. 281.193 Prev. Elev. 281.091 Closure +.102	

	1.00			via ili
		1 N. S.		
	\$1.		ORIA VAN.C. P. O. Pruttt	
Вос	ok AV	857 d	12/6/61 alc 1961	
FRO	OM WH	ITE PL	AINS SUADRANGLE ALONG ROADS NORTH-AST TO BARKEY 1961; Book AV 857 d)	(Ву
4	20	0.00	"CL 323.8" (Described in line 4)	323.79
4	20	0.57	U.E., on top of SE. end of concrete drain-	
			pipe; chiseled square, painted "UE 304.5"	304.509
4	21	1.37	Vultare, 1.4 mi NE. of; 1.3 mi SW. of North	
			Carolina-Virginia State line; 31 ft W. and	
			14 ft N. of, and about 1 ft lower than	
			junction of field rd. W.; in concrete post;	
			standard tablet stamped "7 DOP 1961 307",	
		•	painted "BM 307.0"	307.044
4	22	1.94	U.E., on top of NW. end of concrete drainpipe;	
			chiseled square, painted "UE 290.6"	290.556
4	23	2.68	Barley, 1.5 mi SW. of; at North Carolina-	
Ç.			Virginia State line; about 144 ft E. of lane	
			crossing; 8 ft S, of centerline of lane;	
			47 ft SW. of large sweetgum tree; in	
			concrete post; USC&GS standard azimuth mark	

disk stamped "STANCELL NO 1", painted

3.31 U.E., on top of NW. end of concrete drain-

pipe; chiseled square, painted "UE 288.4"

23 EMPORIA VA.-N.C. Book AV 857 d 12/7/61 ale

"BM 289.7"

D. O. Pruitt

289.674

288.414

LINE 7 (Cont'd.)

4 27

4 24

301, thence 2.0 mi W. along County Road 639; 18 ft S. and 50 ft E. of junction of T-rd. S. (County Roads 639 and 650); about 1 ft lower than Road 639; in concrete post; standard tablet stamped "TT 60 AAM 1961 165", painted "BM 165.2" 165,240 28 2.60 U.E., on top of N. end of concrete drainpipe; chiseled square, painted "UE 195.1" 195.120 29 3.94 Brink School; at S. entrance of school; in second step; standard tablet stamped "TT 61 AAM 1961"228", painted "BM 227.5" 227.505 4.44 U.E., in centerline of junction of T-rd. S. (County Road 633); copper nail and washer. painted "UE 230.8" 230.808 5.37 U.E., in centerline of junction of private

1.92 Emporia, 3.4 mi S. of, along U. S. Highway

4 31 5.37 U.E., in centerline of junction of private drive SE.; copper nail and washer, painted

"CL 235.8"

235.773

4 32 6.03 Brink School, 2.0 mi W. of, along County Road

627; 7 ft S. and 56 ft E. of junction of

County Roads 627 and 659; 22 ft S. of, and

1 ft lower than centerline of Road 627; in

concrete post; standard tablet stamped

"TT 62 AAM 1961 256", painted "BM 256.3"

256.317

EMPORIA Book AV 857 d 12/7/61 ale

VA.-N.C.

D. O. Pruitt

1961

LINE 6 (Cont'd.)

4 25 4.13 "37 DOP 1961 286" (Described in line 5)

This Elev. 285.5 Prev. Elev. 285.6 Closure

LINE 7.

FROM POINT 4.5 MILES SOUTH OF EMPORIA ALONG ROADS SOUTHWEST AND GENERALLY WEST INTO WHITE PLAINS QUADRANGLE (By D. O. Pruitt, 1951; Book AV 857 d)

Highway 58, along U. S. Interstate Highway
95; at overpass of County Road 639 over
Highway 95; 22 ft SSE. of centerline of, and
about level with Road 639; 62 ft SE. of, and
across rd. from reference mark No. 2; 47 ft
NE. of reference mark No. 1; 40 ft WSW. of
N. end of W. abutment of overpass; 3 ft W.
of steel witness post; in concrete post;
USC&GS standard triangulation station disk
stamped "BRINK 1959"

173.409

285.510

This Elev. 17
USC&GS Elev. 17
Closure

4 26 1.08 U.E., in centerline of junction of T-rd. N.

(County Road 650); copper nail and washer,
painted "CL 141.5"

141.501

EMPORIA Book AV 857 d 12/7/61 ale VA.-N.C. D. O. Pruitt 1961 LINE 7 (Cont'd.) 4 33 7.01 U.E., on top of N. end of concrete drainpipe; chiseled square, painted "UE 223.1" 223.077 7.86 U.E., in centerline of junction of T-rd. N. (County Roads 627 and 603); copper nail and washer, painted "CL 262.3" 262.290 4 35 8.63 U.E., on top of W. end of concrete drainpipe; chiseled square, painted "UE 207.2" 207.237 4 36 9.20 Brink School, 3.9 ml W. of, along County Road 627, thence 1.3 mi N. along County Road 603; 49 ft S. of junction of County Roads 602 and 603; 25 ft SW. of Road 603; in concrete post; standard tablet stamped "TT 63 AAM 1961 193", painted "BM 193.0" 193.035 4 37 10.27 U.E., on top of N. end of concrete drainpipe; chiseled square, painted "UE 201.1". 201.105 4 38 11.43 Brink School, 3.9 mi W. of, along County Road 627, thence 1.3 mi N. along County Road 603, thence 2.3 mi W. along County Road 602; 1.6 mi E. of Triplet, along County Road 601: thence 0.8 mi E. along Road 602; 75 ft N. and 47 ft E. of centerline of Road 602 and fire rd. NE.; 21 ft NW. of Road 602; 32 ft SE. of fire rd.; in concrete post; standard tablet stamped "TT 64 AAM 1961 285", painted "BM 285.0" 284.952

ook AV		ORIA VAN.C. D. O. Pruitt 12/7/61 ale 1961	;
INE 7	(Cont'		
39	12.16	U.E., on top of N. end of metal drain-	
		pipe; painted circle, painted "UE 269.1"	269.127
4 40	13.10	"299 1918 TT" (Described in line 3)	298.794
	•	This Elev. 298.794 Prev. Elev. 298.677 Closure +.117	
		LINE 8.	
ORTHWE	ST TO	2 MILES WEST OF EMPORIA ALONG ROADS WEST AND POINT 2.4 MILES NORTHEAST OF FITZHUGH (By D. O Book AV 857 d)	
4. 41	0.00	Emporia, 1.2 mi W. of crossing of U. S.	
		Highway 58, along U. S. Interstate Highway	
		95; 16 ft NW. of centerline of County Road	
		611; 40 ft SW. of reference mark No. 1;	
		36 ft NW. of, and across rd. from reference	
		mark No. 2; 1 ft higher than centerline	
		of rd.; 4 ft SE. of NW. end of abutment;	
		in SW. abutment of County Road 611 over-	
		pass over Highway 95; USC&GS standard	
		triangulation station disk stamped	
		"WICK 1959"	158.157
		This Elev, 158.157 USCAGS Elev. 158.156 Closure +.001	
41	0.88	U.E., in centerline of junction of T-rd. S.	
		(County Road 635); copper nail and washer,	
•		painted "CL 147.5"	147.486

	56	EMP	ORIA VAN.C.	D. O. Pruit	# 1
Во	ok AV	857 d	12/7/61 ale	1961	
LI	NE 8	(Cont'	<u>d.)</u>	1901	
4	42	2.13	U.E., on top of S. end of concr	ete drain-	
			pipe; chiseled square, painted	"UE 195.9"	195.927
. 4	43	3.14	Emporia, 3.1 ml $W.\ of\ Junction$	of U.S.	
			Interstate Highway 95, along Co	ounty Road	
			611; at Doyle's store; in concr	ete base	
			of gasoline pump; standard tabl	et stamped	
			"39 DOP 1961 187", painted "BM	187.4"	187.440
4	44	4.23	U.E., on top of S. end of metal	. drainpipe;	
			painted circle, painted "UE 217	·.0"	217.029
4	45	5.49	Emporia, 5.5 ml W. of junction	of U.S.	
			Interstate Highway 95 and Count	y Road 611,	
			along Road 611; at N. entrance	of	
			Independence Church; on top of	W. end of	
			bottom step; standard tablet st	amped	
			"40 DOP 1961 230", painted "BM	229.5"	229.521
4	46	6.40	U.E., in centerline of junction	of private	
			drive N.; copper nail and washe	r, painted	
			"CL 262.1"		262.098
4 :	47	6.80	U.E., in centerline of intersec	tion of	
			crossroads (County Roads 604 and	611);	
			copper nail and washer, painted	"CL 283.1"	283.056

	27			
Во	ok A	EMP v 857 d		
LI	NE 8	(Cont'	d.)_	•
4	48	7.58	Emporia, 7.6 mi W. of junction of U. S.	
			Interstate Highway 95 and County Road 611,	
			along Road 611; at junction of County Road	
			675; W. and S. of junction; W. of cedar tree;	
			on iron post; standard cap stamped	
			"PRIM TRAV STA NO 26 1918"	294.216
4	49	8.55	U.E., on top of E. end of concrete drain-	
			pipe; chiseled square, painted "UE 251.2"	251.247
4	50	9.31	U.E., on top of S. end of concrete drain-	
			pipe; chiseled square, painted "UE 207.8"	207.816
4	52	10.91	Emporia, 10.9 mi W. of junction of U.S.	
			Interstate Highway 95 and County Road 611;	
			7.6 m1 W. along County Road 611, thence 3.3	
			mi NNW. along County Road 675; about 6 ft	
			lower than centerline of rd.; in S. end of	
			SW. headwall of bridge over Eightfoot Creek;	
			standard tablet stamped "41 DOP 1961 166",	
			painted "BM 166.1"	166.101
4	53	11.49	U.E., on top of E. end of concrete drain-	
			pipe; chiseled square, painted "UE 193.7"	193.674
4	54	12.11	U.E., in centerline of junction of T-rd. S. $\ensuremath{\mathscr{A}}$	
			(County Roads 670 and 675); copper nail and	
			washer, painted "CL 239.8"	239.835

	28		PORIA VAN.C. D. O. Pruitt	;
Во	ok A	V 857 d	i 12/7/61 ale 1961	
LI	NE 8	(Cont	(d.)	+3-7
4	55	12.79	"27 DOP 1961 259" (Described in line 2)	258.90
			This Elev. 258.903 Prev. Elev. 259.143 Closure240	
			LINE 9.	
			ENERALLY WEST IN MCKENNEY QUADRANGLE (By D. O. Book AV 857 e)	
5	6	5.23	U.E., on top of W. end of concrete drain-	
			pipe; chiseled square, painted "UE 152.3"	152.25
5	7	5.71	Jarratt, 5.3 mi SW. of; 2.4 mi SW. along	
			County Road 610, thence 2.9 mi S. along	
			County Road 614; at front entrance of	
			Little Shiloh Church; in top of W. end of	
			bottom step of NW. steps; standard tablet	
			stamped "44 DOP 1961 155", painted	
			"BM 155.5"	155.493
5	8	6.55	U.E., in centerline of junction of private	
			drive NW.; copper nail and washer, painted	
			"CL 152.5"	152.54
5	9	7.69	U.E., in centerline of junction of Y-rds.	
			(County Roads 614 and 617); copper nail and	
			washer, painted "CL 126.9"	126.921

NGVD 29 Elevations

	29			
В		EMI V 857 e	PORIA VAN.C. D. O. Pruit	t
LJ	NE (	Cont'd.	) 1961	
5	10	8.20	Jarratt, 7.8 mi SW. of; 2.4 mi SW. along	
			County Road 610, thence 4.9 mi S. along	
			County Road 614, thence 0.5 mi NW. along Coun	ty
			Road 617; in NW. wingwall of bridge over	
			Slagles Pond; standard tablet stamped	
			"45 DOP 1961 122", painted "BM 121.7"	121.716
			WL = 117 ft	
5	11	9.18	U.E., on top of W. end of metal drainpipe;	
			painted circle, painted "153.7"	153.702
5	12	9.95	U.E., on top of $E.$ end of concrete drainpipe;	
			chiseled square, painted "UE 153.0"	152.952
5	13	10.82	Jarratt, 10.4 mi SW. of; 2.4 mi SW. along	
			County Road 610, thence 4.9 ml S. along	
			County Road 614, thence 0.7 mi NW. along	
			County Road 617, thence 2.4 mi N. along	
			County Road 610; 22 ft E. of, and 3 ft	
			higher than centerline of junction of County	
			Roads 610 and 613; in concrete post; standard	
			tablet stamped "46 DOP 1961 173", painted	
			"ВМ 172.9"	172.866
	4.7			

Во	30 ok A	ЕМР V 857 e		
LI	NE 9	(Cont'	<u>d.)</u>	***
5	14	11.59	U.E., on top of N. end of concrete drain-	
			pipe; chiseled square, painted "UE 209.1"	209.088
5	15	12.47	U.E., in centerline of junction of NS. rd.	
			(County Roads 619 and 613); copper nail and	•
			washer, painted "CL 212.9"	212.934
5	16	13.10	Jarratt, 12.3 mi SW. of; 2.4 mi SW. along	
		•	County Road 610, thence 4.9 mi S. along	
			County Road 614, thence 0.7 mi NW. along	
			County Road 617, thence 2.4 mi N. along	
			County Road 610, thence 1.7 mi W. along	
			County Road 613, thence 0.6 mi along County	
			Road 619; at front entrance to parsonage	
			of Lutheran Church; in N. end of bottom step;	
			standard tablet stamped "47 DOP 1961 221",	
			painted "BM 221.1"	221.070
5	17	13.61	U.E., in centerline of junction of T-rd. W.	
			(County Roads 619 and 606); copper nail and	
			washer, painted "CL 208.6"	208.554
5	18	14.50	U.E., in centerline of junction of T-rd. S.	
			(County Road 618); copper nail and washer,	
			painted "CL 234.7"	234.699
5	19	15.52	U.E., in centerline of junction of T-rd. S.	
			(County Roads 605 and 606); copper nail and	
			washer, painted "CL 227.1"	227.127

Book AV 857 e 12/7/61 ale D. O. Pruitt 1961 LINE 9 (Cont'd.) 5 20 16.35 "KE 1" (Described in line 1) This Elev. Prev. Elev. Closure