

SECOND-ORDER LEVELING
NATIONAL GEODETIC VERTICAL DATUM OF 1929

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

(53) 34-083-11
TAMASSEE QUADRANGLE
145 S.C.-265 GA. 58 N.C.
N3445-W8300/15
DIAGRAM NI 17-4
GREENVILLE


Oconee County, S.C.; Rabun County, Ga.;
and Macon County, N.C.

Final adjustment of 1958

Edition of 12/19/75

PR: LFB/kp

NGVD 29
Elevations



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 340831

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
TT 93 DL 1934 1121	3	6 W 1937 2297	8
TT 94 DL 1934 1821	4	1 WV 1950 1110	9
TT 83 S 1934 1028	3	2 WV 1950 1244	9
TT 84 S 1934 1041	3	3 WV 1950 1132	9
TT 109 S 1934 1009	3	4 WV 1950 RESET 1967	9
TT 110 S 1934 1011	3	5 WV 1950 1098	10
TT 112 S 1934 1052	5,10	6 WV 1950 1057	10
TT 113 S 1934 1702	5	7 WV 1950 1824	10
TT 114 S 1934 1778	5	8 WV 1950 1067	11
TT 115 S 1934 1633	5	9 WV 1950 1546	11,12
TT 116 S 1934	6	10 WV 1950 1726	11
TT 117 S 1934 1024	6,9	11 WV 1950 1646	11
TT 118 S 1934 1117	6	12 WV 1950 1622	11
TT 119 S 1934 1819	6	14 WV 1950 1549	12
TT 120 S 1934 2213	6,10	15 WV 1950 2617	13
TT 121 S 1934 2273	7		
TT 122 S 1934 2850	7	<u>NGS AND STATE SURVEY</u>	
TT 130 S 1934 1822	4		
TT 131 S 1934 1713	4,7	O 302	8
TT 132 S 1934 1793	4		
TT 133 S 1934 1896	5	<u>NGS</u>	
TT 2 WS 1935 1775	8		
L W 1937 1696	7	Z 43 1934	10
2 W 1937 1643	7	K 85 1935 2488.368	12
2 W 1937 2593	8	L 85 1935	8
3 W 1937 2519	7		
5 W 1937 2757	8,12,12		

NGVD 29
Elevations

1934

LINE 1.Feet

By M. Shackelford, 1934; Book B6146

- U.E., West Union; 1.4 mi SE. of Walhalla; 65 ft SW. of Hutchinson general merchandise store; 20 ft SW. of centerline of State Highway 28; on concrete headwall; chiseled square 989.57
- Walhalla; at intersection of State Highways 28 and 183; 1 ft N. of Confederate monument; in concrete post; standard tablet stamped "TT 83 S 1934 1028" (Reported destroyed, 1957) 1027.998
- U.E., Walhalla, 1.1 mi W. of; 80 ft W. of West End service station; 30 ft S. of centerline of State Highway 28; on concrete base of Texaco gasoline sign; chiseled square 1015.39
- Walhalla, 1.9 mi W. of, along State Highway 28, thence 1.3 mi S.; 0.4 mi N. of Liberty Lodge; 115 ft W. of centerline of rd.; 2 ft N. and 6 ft E. of NE. corner of frame residence of Tom Smith; in concrete post; standard tablet stamped "TT 84 S 1934 1041" 1040.984

LINE 2.NGVD 29
Elevations

By P. A. Wattley, 1934; Book B6182

- West Union, 4.0 mi NE. of; 35 ft E. of centerline of rd.; 6 ft S. and 45 ft W. of SW. corner of residence of Sam Verner; in front-yard; 5 ft S. and 6 ft W. of oak tree; in concrete post; standard tablet stamped "TT 110 S 1934 1011" 1010.391
- Reference mark; 40 ft E. of centerline of rd.; in yard; 60 ft W. of residence; in root on W. side of 10-in. oak tree; wire nail and bottle cap 1010.69
- West Union, 1.0 mi N. of; 2.0 mi NE. of Walhalla; 20 ft S. and 15 ft E. of SE. corner of farmhouse of T. A. Rogers; in front-yard; 2 ft N. and 6 ft E. of large oak tree; in concrete post; standard tablet stamped "TT 109 S 1934 1009" 1008.047
- Reference mark; 20 ft W. of centerline of rd.; 50 ft E. of house; in root on SW. side of 15-in. oak tree; wire nail and bottle cap 1007.19
- U.E., chiseled square (Described in line 1) 989.57

LINE 3.

By P. A. Wattley, 1934; Book B6182

- Little River School; 50 ft S. and 15 ft W. of SW. corner of school; 40 ft E. of rd.; in concrete post; standard tablet stamped "TT 93 DL 1934 1121" 1120.331

LINE 3 (Cont'd)Feet

Little River School, 3.6 mi NW. of; 120 ft N. and 30 ft W. of junction of driveway to Albert Brown farm; 50 ft S. of centerline of wooden bridge over small branch; in top of small rock cliff; standard tablet stamped "TT 94 DL 1934 1821"

1820.841

LINE 4.

By P. A. Wattley, 1934; Book B6182

There are no permanent marks in this line in this quadrangle.

LINE 5.

By M. Shackelford, 1934; Book B6191

U.E., Longcreek, 1.6 mi SE. of post office, along U. S. Highway 76; 20 ft S. of centerline of hwy.; on concrete headwall of culvert; chiseled square

1392.68

LINE 6.

NGVD 29
Elevations

By M. Shackelford, 1934; Book B6191

Poplar Springs School, 2.1 mi NE. of; 3.0 mi W. of Double Springs Church; at junction of woods rd. E.; 25 ft E. of centerline of rd.; in concrete post; standard tablet stamped "TT 130 S 1934 1822"

1822.515

Reference mark; 0.2 mi SW. of tablet; 20 ft S. of centerline of rd.; in root on S. side of 6-in. oak tree; wire nail

1812.83

Double Springs Church; 5 ft W. of center of front entrance of church; 40 ft S. of centerline of rd.; in concrete post; standard tablet stamped "TT 131 S 1934 1713"

1712.944

Reference mark; 60 ft NW. of tablet; 20 ft N. of centerline of rd.; in root on SW. side of 15-in. pine tree; wire nail

1712.97

U.E., Double Springs Church, 1.2 mi NE. of; 1.5 mi SW. of Mountain Rest; 15 ft NW. of rd.; at E. end of arch culvert; on top of wing-wall; chiseled square

1549.93

Mountain Rest, 0.7 mi N. of, along State Highway 24; 70 ft E. of centerline of hwy.; 50 ft SW. of frame residence of A. L. Brown; in concrete post; standard tablet stamped "TT 132 S 1934 1793" (Tied by NGS, 1935)

1792.746

Reference mark; 110 ft SW. of tablet; 20 ft E. of centerline of hwy.; on concrete headwall of culvert; chiseled square

1784.53

LINE 6 (Cont'd)Feet

Village Creek School; 65 ft W. of SW. corner of school; 25 ft E. of centerline of rd.; in concrete post; standard tablet stamped "TT 133 S 1934 1896"	1895.847
Reference mark; 6 ft N. of tablet; 25 ft E. of centerline of rd.; in root on NE. side of 18-in. pine tree; wire nail	1895.44
Walhalla, 8.2 mi NW. of, thence 1.4 mi N. along Cashiers rd.; 90 ft N. of crossroads; 30 ft NW. of centerline of rd.; in concrete post; standard tablet stamped "TT 114 S 1934 1778"	1778.277
Reference mark; 50 ft SE. of tablet; 30 ft SE. of centerline of rd.; in root on W. side of 12-in. hickory tree; wire nail	1779.94
U.E., Walhalla, 7.3 mi NW. of; about 400 ft SE. of bridge over small stream; 20 ft SW. of centerline of hwy.; on concrete headwall; chiseled square	1596.90
Walhalla, 6.5 mi NW. of; 100 ft W. of frame residence of Johnson; 125 ft E. of centerline of hwy.; in concrete post; standard tablet stamped "TT 113 S 1934 1702"	1702.324
Reference mark; 6 ft N. and 5 ft E. of tablet; 130 ft E. of centerline of hwy.; in root on E. side of 28-in. oak tree; wire nail	1703.40
U.E., Walhalla, 4.3 mi NW. of; 1.4 mi N. of Neville School; 20 ft S. of centerline of hwy.; on concrete headwall of culvert; chiseled square	1327.41
Walhalla, 2.9 mi NW. of; 75 ft E. of centerline of hwy.; in front of, and 10 ft S. of center of entrance of Neville School; in concrete post; standard tablet stamped "TT 112 S 1934 1052" (Tied by NGS, 1935)	1052.078
Reference mark; 120 ft S. of tablet; 20 ft E. of centerline of rd.; on concrete headwall; chiseled square	1046.81
U.E., chiseled square (Described in line 1)	1015.39

LINE 7.NGVD 29
Elevations

By M. Shackelford, 1934; Book B6191

Village Creek School, 4.2 mi SE. of; 1.0 mi NW. of Oconee station; 25 ft W. of centerline of rd.; 15 ft S. and 6 ft W. of property corner 854 of Government reservation; in concrete post; standard tablet stamped "TT 115 S 1934 1633"	1633.358
Reference mark; 12 ft SE. of tablet; 15 ft W. of centerline of rd.; in root on E. side of 24-in. oak tree; wire nail	1632.07

LINE 7 (Cont'd)Feet

Oconee Station School, in frontyard of; 5 ft N. and 2 ft E. of NW. corner of school building; 66 ft S. and 22 ft E. of wall; in concrete post; standard tablet stamped "TT 116 S 1934" (Note: Reset at same elevation)	1172.529
U.E., 30 ft NW. of centerline of rd.; in root on E. side of 20-in. oak tree; wire nail	1165.62
U.E., Oconee Station, 2.6 mi NE. of; 30 ft SW. of frame residence of J. E. Kelly; 6 ft S. of centerline of rd.; in root on NE. side of 24-in. oak tree; wire nail	1109.99
Oconee Station; 3.1 mi NE. of; at Tamassee; 25 ft E. of centerline of rd.; 10 ft W. of frame residence of T. R. Chatham; at crossroads; in concrete post; standard tablet stamped "TT 117 S 1934 1024"	1024.188
Reference mark; 20 ft SE. of tablet; 30 ft E. of centerline of rd.; in root on W. side of 15-in. oak tree; wire nail	1023.13
U.E., Oconee Station, 4.2 mi NE. of; 5.3 mi SW. of Salem; 40 ft W. of corn mill of R. E. Nichols; 20 ft W. of centerline of surface-treated rd.; at junction of Y-rd. N.; in root on NE. side of 12-in. oak tree; wire nail	1155.76
Salem, 3.2 mi SW. of; at D.A.R. School; 30 ft S. and 35 ft E. of, and in front of SW. corner of administration building; 250 ft NW. of rd.; in concrete post; standard tablet stamped "TT 118 S 1934 1117" (Not found, 1957)	1116.701
Reference mark; 16 ft NW. of tablet; near SW. corner of administration building; in root on S. side of 15-in. oak tree; wire nail	1118.31

LINE 8.

By M. Shackelford, 1934; Book B6191

Village Creek School, 1.7 mi SE. of, thence 1.1 mi N.; 4.8 mi S. of Wade Hampton Civilian Conservation Corps Camp; 35 ft W. of centerline of rd.; 6 ft S. and 10 ft E. of NE. corner of frame residence of O. E. Lombard; in concrete post; standard tablet stamped "TT 119 S 1934 1819"	1819.100
Reference mark; 60 ft SE. of tablet; 15 ft E. of centerline of rd.; in root on W. side of 12-in. oak tree; wire nail	1818.22
Wade Hampton C.C.C. Camp, 1.7 mi SW. of; 20 ft NW. of centerline of rd.; in concrete post; standard tablet stamped "TT 120 S 1934 2213"	2213.105

LINE 8 (Cont'd)Feet

Reference mark; 20 ft N. and 9 ft E. of tablet; 30 ft NW. of centerline of rd.; in root on E. side of 20-in. pine tree; wire nail	2214.60
U.E., Wade Hampton C.C.C. Camp, 0.7 mi SW. of; 280 ft S. of bridge over creek; 15 ft E. of centerline of rd.; on small boulder; chiseled square	2128.18
Wade Hampton C.C.C. Camp; 30 ft E. of centerline of rd.; in concrete post; standard tablet stamped "TT 121 S 1934 2273"	2273.100
Reference mark; 40 ft NE. of tablet; 50 ft E. of centerline of rd.; in root on NW. side of 8-in. oak tree; wire nail	2273.79
Wade Hampton C.C.C. Camp, 4.1 mi N. of; 50 ft NE. of Tri-State Club House; 30 ft W. of centerline of rd.; in concrete post; standard tablet stamped "TT 122 S 1934 2850"	2851.278
Reference mark; 3 ft N. and 12 ft W. of tablet; in root on W. side of 8-in. oak tree; wire nail	2853.50

LINE 9.

By C. S. Wells, 1937; Book B7556

"TT 131 S 1934 1713" (Described in line 6)	1712.944
Earles Ford, 0.8 mi SE. of; on E. side of rd.; 30 ft E. of centerline of rd.; in large embedded boulder; standard tablet stamped "1 W 1937 1696"	1695.988
Reference mark; 70 ft NW. of tablet; 12 ft W. of centerline of rd.; in root of 24-in. oak tree; copper nail and washer	1688.82

[Jogs into Rabun Gap quadrangle]

Pine Mountain, 4.7 mi SW. of, along Pine Mountain-Clayton rd.; in W. end of N. headwall of concrete bridge over Hickory Bottom Creek; standard tablet stamped "2 W 1937 1643" (Not found, 1957)	1642.821
Reference mark; 90 ft E. of tablet; on S. side of rd.; on top of rock outcrop in 15-ft cut; chiseled square	1649.21
Pine Mountain, 4.2 mi SW. of, thence 3.0 mi NW.; 3.4 mi SE. of Sumpter Forest Camp; at trail crossing; 20 ft SW. of centerline of rd.; 30 ft NW. of bank of stream; in ledge outcrop flush with ground, standard tablet stamped "3 W 1937 2519" (Not found, 1957)	2513.624
Reference mark; 280 ft NW. of tablet; 25 ft SW. of centerline of rd.; at S. edge of clump of spruce trees; on top of embedded boulder; chiseled square	2522.33

1937

LINE 10.Feet

By C. S. Wells, 1937; Book B7556

- Pine Mountain, 3.0 mi SW. of, along Pine Mountain-Clayton Road; in E. end of N. headwall of bridge over stream; standard tablet stamped "TT 2 WS 1935 1775" (Not found, 1957) 1774.769
- U.E., Pine Mountain, 1.5 mi SW. of, along Pine Mountain-Clayton Road; at stream crossing; 30 ft NE. of old sawmill site; on large ledge outcrop; chiseled square 1936.31
- "L 85 1935" (NGS) (Not found, 1957) 2166.570
- Pine Mountain, 0.8 mi N. of, thence 2.6 mi NE.; 110 ft N. of rd. NW.; at cleared field on E. side of rd.; 18 ft W. of rail fence; in embedded boulder flush with ground; standard tablet stamped "5 W 1937 2757" 2756.708
- Reference mark; 110 ft SE. of tablet; 15 ft NE. of rd. forks; 12 ft SW. of rail fence; in root of 20-in. oak tree; copper nail and washer 2752.99
- Burrells Ford, 1.5 mi SW. of; 0.4 mi NW. of Eli Gap; on N. side of rd.; 80 ft NW. of 5-ft waterfall in Reed Creek; in large embedded boulder; standard tablet stamped "6 W 1937 2297" (Not found, 1957) 2296.849
- Reference mark; 90 ft E. of tablet; on N. side of rd.; on top of embedded boulder; chiseled square 2293.74
- U.E., Burrells Ford; on Georgia side of Chattooga River; 15 ft N. of waters edge at foot of steep bank; on top of stone ledge outcrop 2 ft above water; chiseled square 2020.69
- Burrells Ford, 2.3 mi SE. of; 0.7 mi S. of Wade Hampton C.C.C. Camp, thence 1.7 mi NW.; 230 ft E. of divide; on S. side of rd.; in large ledge; standard tablet stamped "2 W 1937 2593" 2593.270
- Reference mark; 260 ft W. of tablet; 25 ft N. of centerline of rd.; on divide; in root of 36-in. oak tree; copper nail and washer 2602.40
- U.E., chiseled square (Described in line 8) 2128.18

LINE 11.NGVD 20
Elevations

By W. Varley, 1950; Book AV 174

- Walhalla, 1.2 mi NE. of; on peak of hill 528 ft N. of centerline of State Highway 183; 125 ft NW. of residence of M. C. Todd; 3 ft W. of lot fence; in concrete post; NGS and State Survey standard disk stamped "O 302" 987.492

LINE 11 (Cont'd)Feet

U.E., Walhalla, 0.7 mi N. of, thence 1.0 mi NW.; at junction of private drive to one-story frame house; 17 ft W. of centerline of rd.; 1 ft lower than rd. forks; on S. end of concrete drain under drive; chiseled square	1056.17
Walhalla, 0.7 mi N. of, along State Highway 183, thence 2.5 mi NW. along old Tamassee rd. to Pleasant Ridge Church; at junction of rd. NE. to Pickett Post; on edge of property of D. H. Kelley; 26 ft N. of centerline of E.-W. rd.; 28 ft W. of centerline of N.-S. rd.; 7 ft SE. of curve in fence; in concrete post; standard tablet stamped "1 WV 1950 1110"	1110.551
Reference mark; 12 ft SE. of tablet; on W. end of galvanized iron pipe under N.-S. rd.; chiseled square	1109.24
U.E., Walhalla, 0.7 mi N. of, thence 2.7 mi NW.; at center of house at extreme edge of rd.; 12 ft SW. of, and 1 ft higher than rd.; on center of concrete basement window sill; chiseled square	1116.54
Walhalla, 0.7 mi N. of, along State Highway 183, thence 4.5 mi NW. along rd. to Pleasant Ridge Church; at junction of rd. N. to Old Indian Fort; near center of wooded triangle formed by rd. forks; 17 ft E. of centerline of N.-S. rd.; 30 ft S. of N. tip of triangle; 15 ft S. of 12-in. pine tree; in concrete post; standard tablet stamped "2 WV 1950 1244"	1243.704
Reference mark; 70 ft NE. of tablet; 12 ft NW. of rd.; in crotch of twin-scrub oak trees; copper nail and washer	1241.06
Pleasant Ridge Church; 3.9 mi S. of Tamassee along State Highway 271; in second step of side entrance to church; standard tablet stamped "3 WV 1950 1132"	1132.085
Reference mark; on SE. end of bottom step to front entrance to church; chiseled square	1132.13
Tamassee, 1.0 mi SE. of, along Choy Road; at junction of State Highway 271 (Camp Oak Crossroads); 169 ft SW. of SW. corner of old frame residence; 53 ft NW. of NW. corner of concrete block residence; 27 ft SE. of concrete pipe under driveway; 1 ft N. of well; in concrete post; standard tablet stamped "4 WV 1950 RESET 1967" (Unchecked elevation)	1154.54
Reference mark; 140 ft NE. of tablet; on SW. corner of base for W. gasoline pump stand; chiseled square	1156.36
"TT 117 S 1934 1024" (Described in line 7)	1024.188

LINE 11 (Cont'd)Feet

Tamassee, 2.5 mi NW. of, along Winding Stairs Road; at Church of God; 60 ft NE. of NE. corner of church; 19 ft S. of N. boundary of church property; 43 ft W. of centerline of rd.; in concrete post; standard tablet stamped "5 WV 1950 1098" (Not found, 1957)	1098.275
Reference mark; 65 ft SW. of tablet; on N. end of bottom step of church; chiseled square	1100.40
Tamassee, 4.3 mi NW. of, along Winding Stairs Road; 0.4 mi SW. of Devils Pit School; at bridge over Cranes Creek; 5.5 ft N. of centerline of bridge; in NE. wingwall of bridge; standard tablet stamped "6 WV 1950 1057"	1057.153
Reference mark; 12 ft S. of tablet; 10 ft S. of, and 1 ft higher than centerline of rd.; in E. end of S. rail of bridge; top of bolt	1058.03
U.E., Tamassee, 5.5 mi NW. of; about 100 ft E. of centerline of rd. N.; on W. end of N. headwall of stone culvert over Cherokee Creek; chiseled square	1157.11
Tamassee, 7.2 mi NW. of, along Winding Stairs Road; 1.6 mi NE. of junction of State Highway 107; 22 ft E. of centerline of rd.; 31 ft NE. of stream crossing rd.; 2 ft N. of tree bent by boulder; in 7- by 3-ft boulder on edge of bank and about level with rd.; standard tablet stamped "7 WV 1950 1824"	1824.181
Reference mark; 28 ft SW. of tablet; 8 ft E. of centerline of rd. at stream crossing; on 1- by 1-ft boulder projecting 1 ft above ground; chiseled square	1825.70
"TT 120 S 1934 2213" (Described in line 8)	2213.105

LINE 12.

By W. Varley, 1950; Book AV 174

"Z 43 1935" (NGS)	1304.971
"TT 112 S 1934 1052" (Described in line 6)	1052.078
U.E., Walhalla, 2.1 mi NW. of, along State Highway 28; at junction of Y-rd. W.; 34 ft SE. of grocery store and service station; on SW. corner of gasoline pump stand; chiseled square	1031.72

LINE 12 (Cont'd)Feet

Walhalla, 1.8 mi NW. of post office, along State Highway 28, thence 1.3 mi W. along McCall Mountain rd.; at junction of rd. S. to Westminster; 55 ft W. of NW. corner of residence of Raymond Woods; in cross formed by rd. forks; 20 ft NW. of centerline of rd. S.; 21 ft S. of centerline of McCall Mountain rd.; 20 ft NE. of power pole; in concrete post; standard tablet stamped "8 WV 1950 1067"	1067.390
Reference mark; 51 ft SE. of tablet; in root on N. side of 48-in. oak tree; copper nail and washer	1066.13
Walhalla, 1.8 mi NW. of, along State Highway 28, thence 3.8 mi W. along McCall Mountain rd.; 6.8 mi E. of Mountain Grove Church; at junction of Y-rds.; in NW. angle of rd. forks; 15 ft N. of centerline of E.-W. rd.; 41 ft W. of centerline of rd. N.; in concrete post; standard tablet stamped "9 WV 1950 1546"	1546.187
Reference mark; 15 ft W. of tablet; 16 ft N. of centerline of rd.; in root of 24-in. oak tree; copper nail and washer	1545.77
Mountain Grove Church, 4.7 mi E. of, along Stump House rd.; at junction of T-rd. S. to McCall Mountain; in SW. angle of rd. forks; 37 ft SE. of centerline of rd. to Long Creek Academy; 50 ft SW. of rd. E.; 12 ft S. of rd. signpost; in concrete post; standard tablet stamped "10 WV 1950 1726"	1726.427
Reference mark; 60 ft N. of tablet; on SE. end of concrete pipe under rd.; chiseled square	1725.66
U.E., Mountain Grove Church, 3.2 mi E. of; 14 ft E. of, and level with junction of Y-rd. SE.; on E. end of headwall of culvert under main rd.; chiseled square	1643.09
Mountain Grove Church, 2.7 mi E. of; at junction of graveled rd. and dirt rd. SW. to Crooked Creek and Cedar Creek; in SW. angle of rd. forks; 19 ft S. of centerline of graveled rd.; 31 ft W. of centerline of dirt rd.; 16 ft W. of rd. signpost; in concrete post; standard tablet stamped "11 WV 1950 1646"	1646.430
Reference mark; 74 ft E. of tablet; on E. end of stone headwall of concrete pipe under rd. SW.; chiseled square	1641.29
Mountain Grove Church; 56 ft N. of NE. corner of church; 18 ft N. of centerline of rd.; 32 ft W. of 12-in. blazed pine tree; in concrete post; standard tablet stamped "12 WV 1950 1622" (Reported destroyed, 1961)	1621.975
Reference mark; 17 ft NW. of tablet; in root on W. side of 24-in. oak tree; copper nail and washer	1620.12

<u>LINE 12 (Cont'd)</u>	<u>Feet</u>
U.E., Mountain Grove Church, 0.6 mi W. of; at culvert over Double Branch; on E. end of S. headwall of culvert; chiseled square	1596.96
U.E., at junction of T-rd., in S. end of concrete pipe under Stump-house Road and 2 ft lower than centerline of rd. forks; chiseled square	1656.70
<u>LINE 13.</u>	
By W. Varley, 1950; Book AV 174	
Westminster, 3.4 mi NW. of station, along State Highway 271, thence 2.9 mi W. along rd. to Cross Roads Church, thence 3.4 mi N. along Rich Mountain rd.; 37 ft S. of junction of Y-rd. SW. near saddle; 42 ft W. of centerline of Rich Mountain rd.; in 8- by 10-ft boulder projecting 2 ft above ground; standard tablet stamped "14 WV 1950 1549"	1549.183
Reference mark; 29 ft N. of tablet; 30 ft W. of centerline of rd.; in root on E. side of 10-in. oak tree; copper nail and washer	1546.41
"9 WV 1950 1546" (Described in line 12)	1546.187
<u>LINE 14.</u>	
By W. Varley, Book AV 174	
"K 85 1935 2488.368" (NGS)	2488.368
U.E., 1.7 mi N. of Pine Mountain, thence 0.6 mi E. along rd.; at drain near rock outcrop in 18-ft cut; 10 ft NW. of, and level with centerline of rd.; on NW. headwall of small culvert; chiseled square	2489.37
"5 W 1937 2757" (Described in line 10)	2756.708
<u>LINE 15.</u>	
By W. Varley, 1950 Book AV 174	
"5 W 1937 2757" (Described in line 10) (Also in line 14)	2756.708
U.E., Pine Mountain, 2.2 mi N. of, along State Highway 28, thence 3.5 mi NE. and N. along Glade Road; 29 ft E. of, and 1 ft higher than junction of Y-rds.; 11 ft N. of centerline of rd. E.; on N. end of culvert under rd. E.; chiseled square	2455.21

TAMASSEE QUADRANGLE

145 S.C.-265 GA.-53 N.C.

34-083-11

NGVD 29
Elevations

13

LINE 15 (Cont'd)Feet

Pine Mountain, 2.2 mi N. of, along State Highway 28, thence 4.0 mi NE. and N. along Glade Road; 11 ft NW. of centerline of rd.; 180 ft W. of bridge over stream near small waterfall; 7 ft E. of W. end of large rock outcrop; in ledge of outcrop; standard tablet stamped "15 WV 1950 2617" 2617.016

Reference mark; 13 ft W. of tablet; 7 ft NW. of, and 2 ft higher than centerline of rd.; on 1- by 4-ft boulder; chiseled square 2613.20

U.E., Pine Mountain, 2.2 mi N. of, along State Highway 28, thence 4.6 mi NE. and N. along Glade Road; at large rock outcrop; 6 ft SE. of, and 2 ft higher than centerline of rd.; 9 ft SW. of NE. end of 120-ft rock outcrop; on outcrop; chiseled square 2827.21