

57NC-269a

+0.9 ft approx
1929

MAP INFORMATION OFFICE

Control Unit

22 INFORMATION
Control Unit
QUAD. HURST

File Copy

STATE: GEORGIA

By W.H. GRAY
1907

ALTITUDE ABOVE
MEAN SEA LEVEL
(Feet)

ORDER THIRD

ADJ. SEA LEVEL DATUM OF 1912

Bul. 635

RECOPY

10-31-51 RRG

GEORGIA

HURST (GA-N.C.) QUADRANGLE
(Latitude 34°45'-35°00': Longitude 84°00'-84°15')

FANNIN AND UNION COUNTIES

-1-

NGVD 29
Elevations

FROM MORGANTON EAST ALONG HIGHWAY TO YOUNG CANE, THENCE SOUTHWEST TO DICK THENCE NORTH TO MORGANTON. By W. H. Gray, 1907

Brackett's store, opposite church near store, SW. of and
110 ft. from intersection of roads; copper bolt stamped
"1906"

1,873.209

Hemptown Gap, at summit, 65 ft. SW. of nail in root of
white-oak tree on right of rd. copper nail stamped "2211" 2,178.122

Young Cane, at side of Butt's store; iron post stamped
"1966"

1,933.037

Skeenah Gap, at summit dwelling, in large rock in lane to
left; copper bolt stamped "2388"

2,355.577

Cochrancs, 0.5 mi. W. of, in rock at N. edge of road;
copper bolt stamped "1887 ft."

1,853.887

Wilscot, 0.3 mi. SE. of, rock on right of rd. near spring,
in rock ledge above river; copper bolt stamped "1859"

1,826.439

Morganton, fork of rd. near William Woody's house, in large
rock, copper bolt stamped "U S G S 1981 Ft. B.M."

1,947.821

FROM YOUNG CANE SOUTHEAST ALONG HIGHWAY TO MULKY GAP, THENCE SOUTH
TO CAVENDER BRIDGE, THENCE WEST TO DIAL.

Mulky Gap, 200 yards N. of summit, in large rock on left
of rd.; copper bolt stamped "2760"

2,727.753

Cavender Bridge over Toccoa River, near N. end, in large
rock; copper bolt stamped "2095"

2,062.207

HOLD

MAP INFORMATION OFFICE
Control Unit
File Copy

269

QUAD. HURST
 ORDER THIRD
 Bk. B4478
 RECOPY
 IO-31-51 RRG

STATE GEORGIA
 Adj. SEA LEVEL DATUM OF 1929
 FANNIN AND UNION COUNTIES

By C.A. TURNER
 1933

ALTITUDE ABOVE
 MEAN SEA LEVEL
 (Feet)

NGVD 29
 Elevations

-2-

THIRD ORDER LEVELING BY C. A. Turner, 1933 Book B4478

FROM IVYLOG ALONG HIGHWAY NORTHWEST TO STATE LINE (By C.A.
 Turner in 1933

Ivylog Church, at Murphy-Culberson rd. fork; iron post
 stamped "1949" (Bul. 635 GA p 17) (reported loose
 and shaky ground) 1,916.856

Cobbs store, 400 ft. NW. of, in Georgia, on Route 11,
 center of crossroads, tree painted "1883" 1,884.0

Ivylog, 0.67 mi. N. of, on Route 11, on E. head wall
 of concrete culvert over Cobbs Branch; chiseled square
 painted "1790.2 B.M." 1,791.20

Ivylog, 1.4 mi. N. of, 0.8 mi. S. of N.C.-Ga. State line,
 200 ft. S. of rd. forks, on NE. corner of concrete
 bridge seat of wooden bridge over Moccasin Creek; chiseled
 square, painted "B M 1679.8" 1,680.86

N.C.-Ga. State line, 0.13 mi. SW. of, at junction of
 rd. NW. with Route 11, painted "1685.8" 1,686.90

N.C.-Ga. State line monument, at SE. corner of, on N.
 side of rd. chiseled square, painted "B M 1701.3" 1,702.42

FROM SWEET GUM ALONG HIGHWAYS NORTHWEST TO STATE LINE (By
 C. A. Turner in 1933)

Sweet Gum, USC&GS standard disk stamped "K 58 1933" 1,681.735

Sweet Gum, 1.2 mi. NW. of, at triangle of rd. forks, in
 root on on E. side of 18-in. oak tree; copper nail and
 washer, painted "B M 1843.9" ,843.93

Rapiers Creek, surface of at ford (normal flow) May 15,
 1933 at 3:15 p.m. 1,792.2

Sweet Gum, 2 mi. NW. of, 38 ft. N. of crossroads, in root
 of 7-in. persimmon tree; copper nail and washer, tree
 painted "B M 1888.4" 1,888.40

Sweet Gum, 2.3 mi. W. and N. of, 2 mi. SE. of Mt. Marie
 Church, 94 ft. S. of, C. C. Hawkins farmhouse, 50 ft.
 S. of rd. 10 ft. E. of small stream, in top of boulder;
 standard tablet stamped "T 8 1933" oak tree painted
 "P B M 1834.94" 1,834.952

269
 QUAD. HURST STATE GEORGIA BY C.A. TURNER ALTITUDE ABOVE
 ORDER THIRD ADJ. SEA LEVEL DATUM OF 1929 MEAN SEA LEVEL
 Bks. B4478-7208 FANNIN AND UNION COUNTIES (Feet)
 RECOPY
 II-1-51 RRG -3- NGVD 29
 Elevations

Reference mark, 33.2 ft. NE. of tablet, 10 ft. S. of rd., on rock; chiseled square	1,838.33
Top of hill, rd. elevation	1,974.75
Mt. Maria Church, 1.4 mi. SE. of, near N.C.-Ga. State line, on S. side of rd., 18 ft. W. of creek crossing, in root of 8-in. maple tree; copper nail and washer, tree painted "B M 1818.92"	1,818.96
FROM CANAL LAKE: ALONG HIGHWAYS SOUTHWEST TO POINT 0.5 MILE SOUTH OF CONFIDENCE CHURCH, THENCE WEST TO JUNCTION OF STATE HIGHWAY AND QUEENS' GAP ROAD (By G. W. Moore in 1936) Bk. B7208)	
Canal Lake Camp, 0.8 mi. W. of, 55 ft. W. of wood bridge, 11 ft. N. of rd. 3.2 ft. above rd., on small rock; outcrop; chiseled square, tree 6 ft. N. of square painted "U S B M 1739.1"	1,738.96
Center of bridge 4.2 ft. above water	1,734.6
Canal Lake Camp, 1.56 mi. W. of, 195 ft. NE. of tablet, at NE. corner of McBee bridge over Nottely River, in root on N. side of 12-in. white oak tree; RR. spike tree painted " T.V.A. b.m. H W 10 1733.9"	1,733.76
Canal Lake Camp, on U. S. Highway 19, 1.6 mi. W. of, 85 ft. SW. of S. end of McBee Bridge over Nottely River, 34 ft. S. of rd. at secondary rd. up hill, 12 ft. E. of rd. up hill, 10.6 ft. above main rd., on rock outcrop; standard tablet stamped "G W M 189 1936" painted "U S P B M 1743.7"	1,743.618
Elevation center of bridge, 16.5 ft. above water	1,738.9
Canal Lake Camp, 2.1 mi. W. of, 60 ft. E. of rd. forks, 22 ft. S. of rd. 3 ft. below rd., in root on N. side of 10-in. apple tree; copper nail and washer, painted "U S B M 1901.8"	1,901.68
Elevation of rd. fork	1,905.7
Canal Lake Camp, 2.35 mi. SW. of, at top of hill, 33 ft. NW. of crossroads, 1.6 ft. above crossroads, in root on S. side of 25 in. oak tree; copper nail and washer, painted "U S B M 1959.5"	1,959.37

269

QUAD. HURST

STATE GEORGIA

By G.W. MOORE

1936

ALTITUDE ABOVE
MEAN SEA LEVEL

ORDER THIRD

Adj. SEA LEVEL DATUM OF 1929

(Feet)

Bk. B7208

RECOPY FANNIN AND UNION COUNTIES

11-1-51 RRG

-4-

NGVD 29

Elevations

Canal Lake Camp, 2.95 mi. SW. of, at foot of hill, 180 ft. SW. of ford over branch of Young Cane Creek, 55 ft. SW. of private rd. fork E., 15 ft. SE. of rd., on 3-ft. bank, in root on NW. side of 5-in. oak tree; copper nail and washer, painted "U S B M 1770.5"	1,770.31
Elevation ford over branch of Young Crane Creek	1,763.5
Elevation of ground at private rd. fork	1,766.0
Canal Lake Camp, 3.7 mi. SW. of, at top of ridge, 110 ft. NE. of dim crossroads, 32 ft. SE. of wood rd. NE. along top of ridge, on rock outcrop; standard tablet stamped "G W M 190 1936" painted "U.S.P.B.M 1916.5"	1,916.282
Elevation top of ridge and crossroads	1,916.8
Reference mark, 95 ft. SW. of tablet 26 ft. E. of secondary rd. crossing at top of ridge, 17 ft. NE. of rd., in base on NE. side of 10-in. pine tree; RR. spike, painted white	1,917.52.
Canal Lake Camp, 4.26 mi. SW. of; 37 ft. NE. of top of hill, 8 ft. SE. of rd., in Wye of wood rd. E., in root on W. side of 10-in. pine tree; copper nail and washer painted "U S B M 2003.7"	2,005.50
Elevation top of ridge at dim rd. fork	2,006.8
Canal Lake Camp, 4.56 mi. SW. of, 115 ft. SW. of wood bridge over creek, 22 ft. W. of dim rd. fork W., 2 ft. above rd. fork, in root on SE. side of 48-in. oak tree; copper nail and washer, painted "U S B M 1801.7"	1,801.47
Elevation center of bridge 4.1 ft. above water	1,797.5
Canal Lake Camp, 4.86 mi. SW. of, top of hill; center of rd.	1,906.5
Canal Lake Camp, 5.07 mi. SW. of, 65 ft. NE. of rd. at abandoned rd. fork N., 20 ft. S. of house, on hole on W. side of 8-in. oak tree; copper nail and washer, painted "U S B M 1814.7".	1,814.54
Canal Lake Camp, 5.43 mi. SW. of, water at ford	1,841.0

269	QUAD. HURST	STATE GEORGIA	By G.W. MOORE 1936	ALTITUDE ABOVE MEAN SEA LEVEL (Feet)
ORDER THIRD	EK. E7208	ASR. SEA LEVEL DATUM OF 1929		
RECOPY	III-1-51 RRG	Fannin and Union Counties		
		-5-		
Canal Lake Camp, 5.6 mi. SW. of, about 0.75 mi. NW. of Queens Gap, 35 ft. N. of rd. fork W., 15 ft. NN. of Queens Gap rd., on bank 4.8 ft. above rd., top of a buried boulder; standard tablet stamped "W M 191 1936 1891", picket fence painted "U S P B M 1891.3"		1,891.110	NGVD 29 Elevations	
Reference mark, 96 ft. S. of tablet, 62 ft. S. of T-rd. N., in root on W. side of 10-in. apple tree; copper nail and washer		1,887.54		
Canal Lake Camp, 5.69 mi. SW. of, top of hill; at rd. fork S. by mail box; center of Queens Gap rd.		1,928.4		
Canal Lake Camp, 6.1 mi. SW. of, center of plank bridge 9.5 ft. above water of Young Cane Creek		1,811.4		
Canal Lake Camp, 6.23 mi. SW. of, on slope of hill, 4.5 ft. above rd., 20 ft. S. of Queens Gap rd., in root on N. side of 12-in. oak tree; copper nail and washer, painted "U S B M 1888.0"		1,887.74		
Canal Lake Camp, 6.3 mi. SW. of, top of hill opposite house		1,915.9		
Canal Lake Camp. 6.5 mi. SW. of, top of hill; at rd. fork SW.		1,919.7		
Canal Lake Camp, 6.6 mi. SW. of. 0.55 mi. SW. of Confidence Church, 80 ft. S. of crossroads, 12 ft. E. of rd. SW. to U. S. Highway 76, 8.7 ft. above crossroads, in root on N. side of 15-in. oak tree; copper nail and washer, painted "U S B M 1899.0"		1,898.80		
Elevation of crossroads		1,890.2		
Canal Lake Camp, 7.04 mi. SW. of, 24 ft. SE. of ford over branch creek, 18 ft. S. of Queens Gap rd. 4 ft. above ford, in root on NE. side of 9-in. oak tree; copper nail and washer, painted "U S B M 1883.9"		1,833.68		
Elevation of water at ford		1,879.5		

269
 QUAD. HURST STATE GEORGIA By G.W. MOORE ALTITUDE ABOVE
 ORDER THIRD Adj. SEA LEVEL DATUM OF 1929 MEAN SEA LEVEL
 Bk. B7208 (Feet)
 RECOPY
 11-1-51 RRG FANNIN AND UNION COUNTIES

-6-

NGVD 29
Elevations

Canal Lake Camp, 7.7 mi. SW. of, 8.3 mi. E. of Mortanton along State Highway 2, thence 0.5 mi. S. along Queens Gap rd., on top of ridge, 26 ft. NW. of rd. fork NE., 4 ft. above top of hill, in root on S. side of 12-in. yellow pine tree; copper nail and washer painted "U S B M 2105.1"	2,104.89
Road fork elevation	2,100.3
Morganton, 8.4 mi. E. of along State Highway 2, on top of N. corner of E. head wall of concrete culvert; chiseled circle	2,023.280
FROM POINT 0.5 MILE SOUTH OF CONFIDENCE CHURCH ALONG HIGHWAYS NORTH AND WEST BY WAY OF MT. ZION SCHOOL TO POINT 0.6 MILES SOUTHEAST AND 3.7 MILES SOUTH OF CULBERSON NORTH CAROLINA, THENCE NORTH TO NEAR CULBERSON, NORTH CAROLINA (By G.W. Moore, 1936)	
Confidence Church, 0.21 mi. S. of, rd. fork E. ground	1,833.0
Confidence Church, 0.16 mi. S. of, 250 ft. N. of rd. E., 70 ft. SE. of badly washed rd. fork NE. 60 ft. NE. of wood bridge over Odom Creek, 22 ft. E. of rd., in base on W. side of 20-in. maple tree; RR. spike painted white, painted "U S B M 1825.9"	1,825.70
Center of bridge 5.9 ft. above water of Odom Creek	1,827.2
Confidence Church, about 400 ft. NW. of, at rd. fork SE. to church; ground	1,887.4
Confidence Church, about 0.3 mi. N. of, near top of hill, in triangle of rd. fork SE. 30 ft. E. of crossroads, in root on W. side of 16-in. oak tree; copper nail and washer, painted "U S B M 1957.0"	1,956.75
Confidence Church, 0.5 mi. NW. of, 0.2 mi. NW. of crossroads, at rd. SW. ground	1,966.0
Confidence Church, 0.63 mi. NW. of, on hill, 0.35 mi. NW. of main rd. crossing, 765 ft. SE. of a secondary rd. fork W. at top of hill, 17 ft. S. of rd., on bank 2.5 ft. above rd. top of boulder; standard tablet stamped "G W M 198 1936 2004" tree 13 ft. SW. of tablet painted "U S P B M 2003.8"	2,003.535

269
QUAD. HURST
ORDER THIRD
Bk. B7208
RECOPY
II-1-51 RRG

STATE GEORGIA
By G.W. MOORE,
1936
ADJ. SEA LEVEL DATUM OF 1929
FANNIN AND UNION COUNTIES

ALTITUDE ABOVE
MEAN SEA LEVEL
(Feet)

-7-

NGVD 29
Elevations

Reference mark, 445 ft. NW. of tablet, at top of hill, 320 ft. SE. of rd. fork W., 35 ft. W. of rd. fork S., 12 ft. SW. of rd., in root on SW. side of 13-in. pine tree; copper nail and washer, painted "R M	2,009.30
At rd. fork S. ground	2,009.0
Confidence Church, 0.8 mi. NW. of, on flat at top of hill, at rd. fork W.; ground	2,005.4
Confidence Church, 1.15 mi. NW. of, at edge of woodland, 22 ft. SW. of rd. at curve, in root on SW. side of 6-in. oak tree; copper nail and washer, painted "U S B M 2065.1"	2,064.63
Confidence Church, 1.36 mi. NW. of, at rd. fork E. ground	2,068.3
Confidence Church, 1.38 mi. NW. of, at rd. fork E. ground	2,064.5
Confidence Church, 1.76 mi. NW. of, at top of hill, at edge of woodland, at curve in rd. 22 ft. W. of rd. fork SW. about 2 ft. above rd., in root on E. side of 9-in. oak tree; copper nail and washer, painted "U S B M 2085.1"	2,084.88
Confidence Church, 2.14 mi. NW. of, 20 ft. W. of rd. at plank bridge, 0.5 ft. above bridge, in root on NE. side of 15-in. oak tree; copper nail and washer, painted "U S B M 1935.6"	1,935.37
Confidence Church, 2.57 mi. NW. of, at foot of hill, at rd. fork NW. ground	1,950.6
Confidence Church, 2.68 mi. NW. of, at crossroads; ground	2,008.5
Confidence Church, 2.75 mi. NW. of, 290 ft. SW. of crossroads, 135 ft. NE. of rd. fork SE. 150 ft. NE. of rd. crossing, top of ridge, 37 ft. NW. of rd. 7.0 ft. above rd., top of boulder; standard tablet stamped "G W M 199 1936 2027" tree painted "U S P B M 2027.0"	2,026.789
Elevation rd. fork SE.	2,024.3
Reference mark, 100 ft. SW. of tablet, 45 ft. N. of rd. fork SE., 60 ft. NE. of top of ridge, 5 ft. above rd. fork, in root on NW. side of 18-in. oak tree; copper nail and washer, painted "U S B M 2029.5"	2,029.28

269

QUAD. HURST

STATE GEORGIA By G.W. MOORE ALTITUDE ABOVE
1936 MEAN SEA LEVEL

ORDER THIRD

Adj. SEA LEVEL DATUM OF 1929

Bk. B7208

RECOPY

11-1-51 RRG

FANNIN AND UNION COUNTIES

(Feet)

NGVD 29
Elevations

-8-

Confidence Church, 2.96 mi. NW. of, at rd. fork S.
ground

1,958.3

Confidence Church, 3.27 mi. NW. of, 70 ft. W. of plank
bridge over Low creek, 0.15 mi. SE. of rd. fork, SW.
10 ft. N. of rd., in root on N. side of 12-in. oak tree;
copper nail and washer, painted "U S B M 1867.7"

1,867.42

Elevation of plank bridge 4.8 ft. above Low Creek

1,868.3

Elevation of trail fork N.

1,866.8

Confidence Church, 3.42 mi. NW. of, at upper fork of rd.
forks; ground

1,964.4

Confidence Church, 4.19 mi. NW. of, upper rd. fork E.
opposite Yates Mill

1,817.8

Confidence Church, 4.3 mi. NW. of, 260 ft. SE. of rd. fork
W., 15 ft. N. of wood bridge over North Branch of Low
Creek, 10 ft. NE. of rd. 4 ft. NW. of fence corner,
top of buried boulder; chiseled square, painted "U S
B M 1808.2"

1,807.93

Elevation of plank bridge 2.7 ft. above creek

1,807.3

Confidence Church, 4.38 mi. NW. of, 260 ft. NW. of B.M.
at T-rd. W.; ground

1,819.5

Confidence Church, 4.66 mi. NW. of, at top of hill, at
T-rd. W.; ground

1,921.6

Confidence Church, 4.76 mi. NW. of, on top of ridge,
30 ft. S. of storage shed, 95 ft. N. of rd. fork E.,
14 ft. E. of rd. 2 ft. below rd. fork, in root on
W. side of 9-in. oak tree; copper nail and washer,
painted "U S B M 1904.8"

1,904.56

Center of rds. at rd. fork E.

1,906.7

Confidence Church, 5.25 mi. NW. of, center of wood bridge,
7 ft. above water of Camp Creek

1,765.1

Confidence Church, 5.27 mi. NW. of, 1.36 mi. S. of Mt.
Zion school, 130 ft. NW. of wood bridge over Camp Creek,
100 ft. E. of rd. fork SW. 28 ft. NE. of rd. 9 ft. above
rd., on rock outcrop; standard tablet stamped "G W M 200
1936 1778", painted "U S P B M 1777.8"

1,777.531

269
 QUAD. HURST STATE GEORGIA BY G.W. MOORE ALTITUDE ABOVE
 ORDER THIRD ADJ. SEA LEVEL DATUM OF 1929 MEAN SEA LEVEL
 Bk. B7208 FANNIN AND UNION COUNTIES (Feet)
 RECOPY NGVD 29
 11-1-51 RRG -9- Elevation

Reference mark, 105 ft. WNW. of tablet, 25 ft. N. of rd. fork SW. 10 ft. above rd., fork in root on NE. side of 12-in. oak tree; copper nail and washer	1,779.91
Elevation rd. fork SW.	1,769.9
Mt. Zion School, 0.95 mi. S. of, 40 ft. E. of crossroads, at top of hill, in root on W. side of 16-in. apple tree; copper nail and washer, painted "U S B M 1818.5"	1,818.25
Elevation center of crossroads	1,818.2
Mt. Zion School, 0.71 mi. S. of, center of plank bridge; 6 ft. above water of N. branch of Camp Creek	1,772.8
Mt. Zion School, 0.21 mi. S. of, at top of hill, 60 ft. S. of rd. fork SE. 33 ft. SE. of rd., in root on W. side of 14-in. oak tree; copper nail and washer, painted "U S B M 1906.7"	1,906.43
Elevation of rd. fork SE.	1,906.1
Mt. Zion School, 70 ft. W. of, center of rd. fork W.	1,893.7
Mt. Zion School, 480 ft. NW. of, at foot of hill, 50 ft. E. of intersection of center line of rd. fork E., 10 ft. S. of rd. E., in root on NW. side of 20-in. oak tree; copper nail and washer, painted "U S B M 1870.2"	1,869.98
Elevation rd. fork	1,870.6
Mt. Zion School, 0.58 mi. NW. of, center of plank bridge, 4 ft. above water of small creek	1,789.8
Mt. Zion School, 0.76 mi. NW. of junction of first class rds. at fork NE. ground	1,746.9
Mt. Zion School, 0.81 mi. NW. of, at rd. fork SW. to Cooks Mill; ground	1,732.1
Mt. Zion School, 0.86 mi. NW. of, 0.1 mi. NW. of main rd. forks, 270 ft. NW. of rd. fork SW. to Cook's Mill, 25 ft. N. of rd. at a field rd. fork extending around point of hill, 70 ft. NE. of wood bridge over Dooley creek, on hillside about 3 ft. above rd., in rock outcrop; std. tablet stamped "G W M 201 1936 1720" painted "U S B M 1720.4"	1,720.118

269

QUAD. HURST
ORDER THIRD
Bk. B7208
RECOPY
11-1-51 RRG

STATE GEORGIA
By G.W. MOORE
1936
Adj. SEA LEVEL DATUM OF 1929
FANNIN AND UNION COUNTIES

ALTITUDE ABOVE
MEAN SEA LEVEL
(Feet)
NGVD 29
Elevations

-10-

Elevation of wood bridge, 7.5 ft. above Dooley Creek	1,717.6
Reference mark, 170 ft. SW. of tablet, 20 ft. S. of rd. at curve, in root on SW. side of 6-in. Jack pine tree; copper nail and washer	1,718.87
Mt. Zion School, 1.14 mi. NW. of, at top of ridge, about 80 ft. NE. of Turners store, 35 ft. E. of rd. fork W. about 4 ft. above rd. fork, in root on W. side of 8-in. oak tree; copper nail and washer, painted "U S B M 1795.2"	1,795.00
Mt. Zion School, 1.1 mi. NW. thence 0.55 mi. W. from, 90 ft. SW. of wood bridge over creek, 50 ft. SW. of rd. fork NW. 32 ft. W. of rd., on bank, 6 ft. above rd., in root on W. side of 14-in. twin oak tree; copper nail and washer, painted "U S B M 1756.0"	1,755.75
Elevation wood bridge 6 ft. above creek	1,749.8
Mt. Zion School, 1.1 mi. NW. thence 0.93 mi. W. from, 115 ft. SW. of private rd. fork SE., 20 ft. NW. of rd., on 2.5 ft. bank, at foot of hill, in root on SE. side of 25-in. oak tree; copper nail and washer painted "U S B M 1783.4"	1,783.18
Mt. Zion School, 1.1 mi. NW. thence 1.58 mi. W. from, at center of secondary crossroads; ground	1,804.1
Mt. Zion School, 1.1 mi. NW. thence 1.65 mi. W. from, 55 ft. E. and 2 ft. above ford, 70 ft. SE. of house, 30 ft. SE. of rd., in root on NW. side of 25-in. twin oak tree; copper nail and washer, painted "U S B.M. 1799.2"	1,798.97
Culberson, 0.6 mi. SE. thence 3.7 mi. S. from, 1.1 mi. NW. thence 2.4 mi. W. from Mt. Zion School, 38 ft. NW. of T-rd. N. at S. edge of path to house, on hill side, 10 ft. above rd. fork, top of boulder; standard tablet stamped "G W M 202 1936 1864" painted "U S P B M 1863.5"	1,863.300
Reference mark, 45 ft. E. of tablet, 26 ft. NE. of rd. fork N., in root on W. side of 25-in. oak tree; copper nail and washer	1,854.74

269

QUAD. HURST

STATE GEORGIA

By G.W. MOORE

1936

ORDER THIRD

Adj. SEA LEVEL DATUM OF 1929

Bk.B7208

RECOPY

FANNIN AND UNION COUNTIES

11-1-51 RRG

ALTITUDE ABOVE
MEAN SEA LEVEL
(Feet)

-11-

Culberson, 0.6 mi. SE. thence 3.1 mi. S. from, 1 ft.
below rd. at top of hill, 30 ft. E. of secondary rd.
fork E., in root on SW. side of 9-in. oak tree; copper
nail and washer, painted "U S B M 2049.7"

NGVD 29
Elevations

2,049.42

Elevation rd. fork and top of hill

2,050.5

Culberson, 0.6 mi. SE. thence 2.6 mi. S. from, 60 ft.
NE. and 7 ft. above drain, 23 ft. N. of rd., on side
of hill above rd., in root on N. side of 7-in. pine
tree; copper nail and washer, painted "U S B M 1906.5"

1,906.20

Culberson, 0.6 mi. SE. thence 2.2 mi. S. from, 75 ft. SW.
of lower rd. forks, 17 ft. W. of rd. 22 ft. SW. of wood
bridge over creek, on side of hill, 1.3 ft. above rd.
forks, in root on SE. side of 14-in. white oak; copper nail
and washer, painted "U. S. B. M. 1899.4"

1,899.12

Elevation plank bridge, 35 ft. above water

1,896.4-

Culberson, 0.6 mi. SE. thence 1.8 mi. S. from, 40 ft. NW.
of crest of Jonica Gap, 12 ft. SW. of rd., in fence
line, on 2-ft. bank, in root on E. side of 10-in. white
oak tree; copper nail and washer, painted "U S B M
1973.2"

1,973.00

Elevation crest Jonica Gap, rd. at saddle level

1,972.1

Culberson, 0.6 mi. SE. thence 1.7 mi. S. from, 0.3 mi.
SE. of rd. forks, 800 ft. NW. of Jonica Gap, at curve
in rd. at wash, 15 ft. NE. of rd. 4.4 ft. above rd.,
on rock outcrop; standard tablet stamped "G W M 203
1936 1922" painted "U S P B M 1921.9"

1,921.690

Reference mark, 80 ft. W. of tablet, 15 ft. S. and 5 ft.
below rd., in base on S. side of 8-in. oak tree; RR.
spike, painted white

1,911.46

Culberson, 0.6 mi. SE. thence 1.4 mi. S. from, 90 ft.
N. of rd. fork, in Wye rd. fork, 5.5 ft. below rd. fork,
in root on S. side of 12-in. twin oak tree; copper nail
and washer, painted "U S B M 1761.6"

1,761.33

Elevation of rd. fork; ground

1,766.9

269

QUAD. HURST
ORDER THIRD
Bk. B7206
RECOPY
11-1-51 RRG

STATE GEORGIA
By G.W. MOORE
1936

SEA LEVEL DATUM OF 1929

FAIRFAX AND VILLOX COUNTIES

-12-

ALTITUDE ABOVE
MEAN SEA LEVEL
(ft.)

NGVD 29
Elevations

Culberson, 0.6 mi. SE. thence 0.7 mi. S. from, 35 ft. W. of wood bridge over Owenby Creek, 27 ft. NW. of rd., on S. side of creek, top of large boulder; chiseled square, painted "U S B M 1612.2" 1,611.93

Elevation center of wood bridge, 8.7 ft. above Owenby Creek 1,613.4

Culberson Depot, 0.6 mi. SE. thence 0.2 mi. S. from, top of hill, 40 ft. E. of rd. fork S. at SW. edge of driveway to garage, about 3 ft. above rd. fork, top of large boulder chiseled square, painted "U S B M 1763.2" 1,762.96

Elevation of rd. fork S. 1,759.6

FROM BLAIRSVILLE QUADRANGLE ALONG HIGHWAYS WEST TO POINT 0.3 MILE WEST OF ANTIOCH SCHOOL (By G. W. Moore, 1936 Bk. B7206)

Ebenezer School, 1.9 mi. SW. of, 0.9 mi. E. of Antioch School, 130 ft. E. of Hemp No. 2, 25 ft. W. of rd. 3 ft. below, top of hill, at fence corner, in root on W. side of 14-in. oak tree; copper nail and washer, painted "U S B M 2066.8" 2,066.66

Ebenezer School, 1.9 mi. SW. of, 0.9 mi. E. of Antioch School, 90 ft. SW. of rd., at top of hill, 7 ft. above rd. 2.4 ft. S. of blazed 8-in. oak tree; top of small nose, rock set in place; center of 1-in. drill hole, blazed tree painted "2074.8" 2,074.66

Ebenezer School, 2.3 mi. SW. of, 0.5 mi. E. of Antioch School, 30 ft. SW. of T-rid. N., 25 ft. W. of pump, on bank 5.7 ft. above rd. fork, in root on N. side of 15-in. white pine tree; copper nail and washer, painted "U. S. B. M. 2005.2" 2,005.04

Antioch School, 345 ft. E. of, 130 ft. E. of church, 80 ft. NE. of rd. forks, on bank in Y of rd. fork and 5.3 ft. above rd. fork, in root on NW. side of 20-in. oak tree; copper nail and washer, painted "U S B M 1979.4" 1,979.30

FROM BLAIRSVILLE QUADRANGLE NORTHWEST ALONG HIGHWAY, BY WAY OF CANAL LAKE AND POINT 0.3 MILE WEST OF ANTIOCH SCHOOL TO IVYLOG (By C. W. Moore, 1936)

Blairsville, 3.07 mi. NW. of along State Highway 11, 1,000 ft. S. of Canal Lake, 840 ft. W. of main entrance to Canal Lake Camp, at wood highway bridge over Stevens Creek, on S. wing wall of E. concrete abutment; chiseled hollow square, painted "T V A b.m., H W 10 A 1748.6" 1,748.55

269 QUAD. HURST STATE GEORGIA By G.W. MOORE,
 ORDER THIRD 1936 ALTITUDE ABOVE
 BK. B7206 ADJ. SEA LEVEL DATUM OF 1929 MEAN SEA LEVEL
 RECOPY FANNIN AND UNION COUNTIES (Feet)
 11-1-51 RRG -13- NGVD 29
 Elevation center of bridge, 9 ft. above water Elevations 1,748.8
 Blairsville, 3.49 mi. NW. of, center of pavement on State Highway 11, at top of hill 1,864.1
 Blairsville courthouse, 3.75 mi. NW. of, along State Highway 11, 0.8 mi. NW. of Canal Lake, on NW. end of SW. heading of large concrete culvert over creek; standard tablet stamped "G W M 167 1936 1835", painted "U S P B M 1835.1" 1,834.984
 Water elevation 1,832.6
 Reference mark, 128 ft. NW. of tablet, 25 ft. NE. of State Highway 11, 3 ft. below rd. level, in root on W. side of 10-in. maple tree; copper nail and washer 1,833.83
 Blairsville, 4.13 mi. NW. of, top of hill at secondary rd. fork SW. 1,997.3
 Blairsville, 4.17 mi. NW. of along State Highway 11, 80 ft. NW. of rd. fork E., about 200 ft. NW. of top of hill, 22 ft. NE. of Highway, on 3-ft. bank, in root on S. side of 12-in. yellow pine tree; copper nail and washer, painted "U S B M 1994.5" 1,994.38
 Elevation of rd. fork E. 1,993.8
 Blairsville, 4.96 mi. NW. of, along State Highway 11, 180 ft. NW. of T-rd. E., on S. end of W. heading of large concrete culvert, 9.5 ft. above water of Reece Creek; chiseled square, painted "U S B M 1853.6" 1,853.50
 Elevation of T-rd. E. 1,853.3
 Blairsville; 5.5 mi. NW. of, center of State Highway 11, at crossroads 1,963.7
 Blairsville, 5.6 mi. NW. of along State Highway 11, 0.3 mi. W. of Antioch School, 220 ft. NW. of Cole's store, 270 ft. NW. of crossroads, 30 ft. NE. of State Highway 11, in pasture, top of boulder; standard tablet stamped "G W M 168 1936 1968", painted "U S P B M 1967.6" 1,967.507
 Reference mark, 90 ft. NW. of tablet, 25 ft. NE. of State Highway 11, at fence line, top of boulder; chiseled square 1,971.24

269
QUAD. HURST
ORDER THIRD
Bk. B7206
RECOPY
11-1-51 RRG

STATE GEORGIA
Adj. SEA LEVEL DATUM OF 1929
FANNIN AND UNION COUNTIES

By G.W. MOORE
1936

ALTITUDE ABOVE
MEAN SEA LEVEL
(Feet)

-14-

Blairsville, 6.2 mi. NW. of, at edge of woods at top of hill, 170 ft. SE. of secondary rd. fork E., 20 ft. NE. of State Highway 11, 4.7 ft. below rd. level, on NW. end of NE. head wall of masonry culvert; chiseled square, painted "U S B M 1893.8"	NGVD 29 Elevations 1,893.77
Blairsville, 6.77 mi. NW. of along State Highway 11, at wood bridge over Ivylog Creek, on E. wing wall of S. concrete abutment; chiseled square, painted "U S B M 1781.0"	1,780.95
Floor of bridge about 17 ft. above water	1,781.3
Blairsville courthouse, 7.3 mi. NW. of along State Highway 11, 230 ft. NW. of T-rd. E. on SE. end of SW. heading of large concrete culvert; standard tablet stamped "G W M 169 1936 1836" painted "U S P E M 1836.5"	1,836.431
Reference mark, 130 ft. S. of tablet, 115 ft. W. of T-rd. E., 54 ft. SW. of State Highway 11, in root on E. side of 20-in. birch tree; copper nail and washer	1,831.82
Blairsville, 7.87 mi. NW. of along State Highway 11, at J. L. Elliot's, 250 ft. NW. of rd. fork W. at top of hill, on SE. end of NE. heading of masonry culvert; chiseled square, painted "U S B M 1934.5"	1,934.43
Elevation of rd. fork W.	1,938.7
Blairsville, 8.5 mi. NW. of along State Highway 11, at wood highway bridge over Flume Creek, on NE. parapet wall of SE. concrete abutment; chiseled square, painted "U S B M 1818.5"	1,818.46
Elevation center of bridge, 9.1 ft. above water	1,818.9
Blairsville, 9.02 mi. NW. of along State Highway 11, 0.2 mi. S. by rd. of Ivylog Church, 38 ft. S. of crossroads, 11 ft. SE. of rd. SW., 3 ft. above crossroads, in root on W. side of 12-in. oak tree; copper nail and washer, painted "U S B M 1887.2"	1,887.17
Blairsville, 9.2 mi. NW. of, 100 ft. SE. of SW. corner of Ivy log Church, 15 ft. NE. of old Murphy-Culberson rd., on bank 5 ft. above rd; iron post stamped "1949" painted "1915.9" (Bul. 635, p 17)	1,916.856
Reference mark, 90 ft. NW. of post, 17 ft. S. of SW. corner of Ivylog Church, 10 ft. NE. of rd. on 1-ft. bank, in root on SW. side of 30-in. oak tree; copper nail and washer, painted "1915.70"	1,915.70

269

QUAD. HURST

STATE GEORGIA

BY G. W. MOORE

1936

ALTITUDE ABOVE

MEAN SEA LEVEL

(Feet)

ORDER THIRD

L.S. SUR. LEVEL DATE OF 1936

Bk. B7207

RANKIN AND UNION COUNTIES

RECOPY

11-1-51 RRC

-15-

FROM POINT NEAR LAVINVILLE, WALK ALONG RUTTER'S ROAD
NORTH BORDER BY WAY OF HETHANY CEMETERY TO CULVERSON NORTH
CAROLINA POINTS IN H. THIS IS THE LINE FROM NORTH CAROLINA

By G. W. Moore in 1936 Bk. B7207

NGVD 29
Elevations

Bellview, N.C. 1.2 mi. SW. of, just S. of A.C.-rd. State
line, 24 ft. W. of T-rd. N. 0.5 ft. above rd. fork,
in root on SW. side of 30-in. oak tree; copper nail
and washer, painted "U S B M 1656.0"

1,656.52

Bellview, N.C. 1.2 mi. SW. of, just S. of N.C.-rd.
State line, 175 ft. W. of T-rd. N., center of drain,
6 ft. above water of small creek

1,649.4

Bellview, 1.5 mi. SW. of, in Georgia, 0.43 mi. NE. of
Smith bridge, 100 ft. S. of private rd. fork SW.
36 ft. W. of rd. in Wye of rd. forks, about 4 ft.
below rd., top of quartz boulder; painted in chiseled
square, painted "U S C M 1658.0"

1,657.9F

Bellview, 1.9 mi. SW. of, 280 ft. NE. of E. side of Smith
bridge, over Nottely River, 25 ft. NW. of County rd.,
25 ft. SE. of home of O. T. Turner, in root on W. side
of 18-in. oak tree; RR. spike driven flush, tree blazed
and painted "T V A b.m. H W 7 1637.03"

1,637.63

Bellview, 2.03 mi. SW. of, 275 ft. SE. of center of
Smith Bridge over Nottely River, 25 ft. S. and 60
ft. E. of T-rd. S. along E. bank of river, 160 ft.
S. of SW. corner of Thomas residence, about 15 ft.
above rd. and 9.5 ft. above bridge, on point of hill,
on quartzite outcrop; standard tablet stamped "G W M
195 1936 1620", painted "U S P B M 1619.8"

1,619.600

Bellview, 1.99 mi. SW. of, T-rd. S. along E. bank of
Nottely River

1,610.5

Bellview, 2.01 mi. SW. of, at Smith Bridge, center of
steel bridge, 17.5 ft. above Nottely River

1,610.1

Bellview, 2.5 mi. SW. of 0.46 mi. SW. of Smith Bridge,
at T-rd. S. ground

1,608.9

NGVD 29
Elevations

269
QUAD. HURST
ORDER THIRD
Bk. E7207
RECOPY
11-1-51 RRG

STATE GEORGIA By G.W. MOORE
1936
SEA LEVEL Datum of 1923
PENNIN AND UNION COUNTIES
-18-

ALTITUDE ABOVE
MEAN SEA LEVEL
(F.M.)

Bellview, 2.62 mi. SW. of, 0.5 mi. NW. of Smith bridge,
270 ft. W. of T-rd., 20 ft. SW. of rd., on 1-ft. bank,
in root on S. side of 9-in. oak tree; copper nail and
washer, painted "U.S.B.M 1694.5"

1,695.23

Bellview, 3.0 mi. SW. of, 0.9 mi. NW of Smith Bridge,
100 ft. W. of Bethany Church and school, 105 ft. N.
of first class rd. forks at top of hill, 14 ft. W.
of rd., on fence line, in root on NE. side of 14-in.
oak tree; copper nail and washer, painted "U.S.B.M
1766.1"

1,765.82

Elevation of main rd. fork

1,766.7

Bethany Church, 0.52 mi. N. of, center of wood bridge,
7.2 ft. above water of Butler Creek

1,618.7

Culberson, N.C. 1.8 mi. E. of, just N. of N.C.-Ga.
State line, 18 ft. SE. of rd., at curve, at drain,
2.1 ft. above plank bridge over drain, 60 ft. SW. of
Bruce house, in root on N. side of 18-in. sycamore
tree; copper nail and washer, painted "U.S.B.M 1591.4"

1,591.11

Culberson depot, 1.4 mi. SE. of, 640 ft. W. of wood bridge
over Owenby Creek, 22 ft. NE. of rd., on point of hill,
9 ft. above rd. 275 ft. E. of small ford, just S. of N.C.-
Ga. State line, in large boulder; standard tablet stamped
"G.W.M 197 1936 1586", painted "U.S.P.B.M 1585.6"
NOTE: U.S.G.S. bolt "i617" Elev. 1585.6 destroyed;
leveled rock and set "G.W.M 197 1936" in same hole

1,585.302

Reference mark, 310 ft. E. of tablet, 230 ft. W. of
wood bridge over Owenby Creek, 70 ft. N. of rd., in
field, center of concrete post marking N.C.-Ga State
line; chiseled square

1,576.93

Elevation wood bridge, 7.7 ft. above water at Owenby
Creek in Ga.

1,578.263

FROM POINT NEAR CULBERSON NORTH CAROLINA, ALONG HIGHWAYS
SOUTHWEST BY WAY OF FRIENDSHIP CHURCH TO SWEET GUM (By
G. W. Moore in 1936 Bk. E7207)

Culberson depot; 0.78 mi. SW. of, at N.C.-Ga. State
line, end of pavement opposite State line marker

1,668.3

NGVD 29
Elevations

269 Ga 57 NO

TVA 142

269-HURST QUADRANGLE

GEORGIA
N3445-W8400/15

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
THIRD-ORDER LEVELING

Bull. 635, p/ 17

Book B4478

1912 ADJ..

Turner 1933

(Not to be used for compilation)

Feet

Young Cane, at side of Butts' store; on iron post; standard cap stamped "1966"

1933.037

FROM IVY LOG ALONG HIGHWAY NORTHWEST TO STATE LINE (By C. A. Turner, 1933) SE. SUPPL. ADJ. 1936

Ivy Log Church; at Murphy-Culberson rd. fork; on iron post; standard cap stamped "1949" (Bul. 635, Ga. P.17) 774
(age 3) 1916.856

FROM SWEET GUM ALONG HIGHWAYS NORTHWEST TO STATE LINE (By C. A. Turner, 1933)

Sweet Gum; USC&GS standard disk stamped "K 58 1933"

1681.735

Sweet Gum, 2.3 mi W. and N. of, 2.0 mi SE. of Mt. Maria Church; 94 ft S. of C.C. Hawkins farmhouse; 50 ft S. of rd.; 10 ft E. of small stream; in top of boulders; standard tablet stamped "T 8 1933"

NF 1975

TVA 142

1834.952

.95

FROM CANAL LAKE, ALONG HIGHWAYS SOUTHWEST TO POINT 0.5 MILE SOUTH OF CONFIDENCE CHURCH, THENCE WEST TO JUNCTION OF STATE HIGHWAY AND QUEENS GAP ROAD (By G. W. Moore, 1936)

Canal Lake camp, on U. S. Highway 19; 1.6 mi W. of and 85 ft SW. of S. end of McBee Bridge over Nottely River; 34 ft S. of rd. at secondary rd. up hill; 12 ft E. of rd. up hill; 11 ft above main rd.; in rock outcrop; standard tablet stamped "GWM 189 1936"

NF 1975
TVA 142

1743.618

.566

Canal Lake Camp, 3.7 mi SW. of; at top of ridge; 110 ft NE. of dim crossroads; 32 ft SE. of Wood rd. NE. along top of ridge; in rock outcrop; standard tablet stamped "GWM 190 1936 1916"

1916.282

For additional USGS tablets,
not in this list, see TVA Qd. 142

NGVD 29
Elevations

269-HURST QUADRANGLE

Book B4478

By C. A. Turner, 1933
8/21/63 In

(Cont'd. P. 2)

GEORGIA

SE. SUPPL. ADJ.
1936

Feet

~~Canal Lake Camp, 5.6 mi SW. of; about 0.8 mi NW. of Queens Gap;
35 ft N. of rd. fork N.; 18 ft NE. of Queens Gap rd.; on
bank 4.8 ft above rd.; in top of buried boulder; standard
tablet stamped "GWM 191 1936 1891"~~ 1891.110

~~FROM POINT 0.5 MILE SOUTH OF CONFIDENCE CHURCH ALONG
HIGHWAYS NORTH AND WEST BY WAY OF MT. ZION SCHOOL TO POINT
0.6 MILES SOUTHEAST AND 3.7 MILES SOUTH OF CULBERSON
NORTH CAROLINA, THENCE NORTH TO NEAR CULBERSON, NORTH
CAROLINA (By G. W. Moore, 1936)~~

~~Confidence Church, 0.6 mi NW. of; on hill; 0.4 mi NW. of
main rd. crossing; 765 ft SE. of secondary rd. fork W. at
top of hill; 17 ft S. of rd.; on bank 2.5 ft above rd.;
in top of boulder; standard tablet stamped
"GWM 198 1936 2004"~~ 2003.535

~~Confidence Church, 2.75 mi NW. of; 290 ft SW. of crossroads;
135 ft NE. of rd. fork SE.; 150 ft NE. of rd. crossing;
top of ridge; 37 ft NW. of rd.; 7.5 ft above rd.; in
top of boulder; standard tablet stamped
"GWM 199 1936 2027"~~ NF 1975
TVA

~~Confidence Church, 5.27 mi NW. of; 1.36 mi S. of Mt. Zion
School; 130 ft NW. of wooden bridge over Camp Creek;
100 ft E. of rd. fork SW.; 28 ft NE. of rd.; 9 ft above
rd.; in rock outcrop; standard tablet stamped
"GWM 200 1936 1778"~~ 2026.951
1777.531

~~Mt. Zion School, 0.9 mi NW. of; 0.1 mi NW. of main rd.
forks; 270 ft NW. of rd. fork SW. to Cook's Mill; 25 ft
N. of rd. at field rd. fork extending around point of hill;
70 ft NE. of wooden bridge over Dooley Creek; on hillside
about 3 ft above rd.; in rock outcrop; standard tablet
stamped "GWM 201 1936 1720"~~ 1720.118

~~Culberson, 0.6 mi SE. of, thence 3.7 mi S.; 1.1 mi NW.
thence 2.4 mi W. of Mt. Zion School; 38 ft NW. of T-rd. N.;
at S. edge of path to house; on hillside; 10 ft above
rd. fork; in top of boulder; standard tablet stamped
"GWM 202 1936 1863"~~ NF 1975
TVA 142
300
1863.300

~~Culberson, 0.6 mi SE., thence 1.7 mi S.; 0.3 mi SE. of rd.
forks; 800 ft NW. of Jonica Gap; at curve in rd. at wash;
15 ft NE. of rd.; 4 ft above rd.; in rock outcrop;
standard tablet stamped "GWM 203 1936 1922"~~ 1921.690
1702

NGVD 29
Elevations

Qd. 57

Station: SHEEP County: Cherokee State: N. C.
 Observer: C. B. Kendall Year: 1934 Datum: 1927 N.A.S.
 Description: Cmp. Bk. TVA #36

Murphy, 6 mi S. and 1 mi E. of (airline); 3/4 mi. N. of Ga.-N. C. State line. Station is on summit of small mountain known locally as Sheep Knob which is 0.75 mi N. and 1 mi W. of corner of Cherokee and Clay Counties on Ga.-N.C. State line. Martin heads on the N. and Pinelog and Little Brasstown Creeks on the E., all flowing into the Hiwassee River. Moccasin Creek heads on the S. and W. and flows into the Nottely River. The top of knob is old clearing about 400 ft in diameter. Station is near center of clearing. Station is easily reached by rd. and trail from Murphy; an automobile can be driven to within $\frac{1}{2}$ mi of station.

Signal: In azimuth $39^{\circ}35'$, 4.5 ft distant.

Station mark: Standard tablet set in top of 6- by 6-in. by $3\frac{1}{2}$ ft blue marble post set 3.2 ft in ground.

Latitude 34° 59' 56.95" Longitude 84° 01' 21.41"

To Station—	Azimuth			Back Azimuth			Distance	
	°	'	"	°	'	"	Log. Meters	Miles
Sharp Top	31	55	18.03	211	52	23.14	4.1662447	9.111
Mull	72	23	22.79	252	18	24.80	4.1409942	8.597
Pack	103	14	49.55	283	05	45.05	4.3927088	15.349
Waucheesi	149	54	39.93	322	47	54.42	4.5504488	22.069
Orchard	176	18	53.68	356	18	33.76	4.1355602	8.490
McDaniel	183	07	04.92	03	07	38.27	4.4305409	16.745
Teyahalee	215	49	34.51	35	57	25.54	4.5484276	21.967
Peachtree	225	10	19.06	45	15	45.41	4.3070712	12.601
Tusquitee	239	31	35.17	59	41	47.08	4.4952618	19.437
Fleaback	269	12	06.58	89	22	31.80	4.4425885	17.177

NGVD 29
Elevations

57

R 57
E QUAD. HURST
C
O ORDER THIRD
P Bk. B4478
Y 12/13/55/dlk

STATE NORTH CAROLINA BY C. A. TURNER, ALTITUDE ABOVE
1933 MEAN SEA LEVEL
ADJ. SEA LEVEL DATUM OF 1929 (Feet)

NORTH CAROLINA
HURST (N.C.-GA.) QUADRANGLE
(Latitude 34°45'-35°00'; Longitude 84°00'-84°15')
CHEROKEE COUNTY

- FROM POINT ON STATE LINE 2 MILES NORTHWEST OF IVYLOG,
ALONG HIGHWAYS NORTH INTO MURPHY QUADRANGLE -

N.C.-Ga. State line monument, at SE. corner of, on N. side
of road; chiseled square, painted "B. M. 1701.3"

1,702.63

- FROM STATE LINE ALONG HIGHWAYS NORTHWEST INTO SOUTHEAST
CORNER OF DUCKTOWN QUADRANGLE -

Mt. Maria Church, 1.4 mi. SE. of, near N.C.-Ga. State
line, on S. side of road, 18 ft. W. of creek crossing,
in root of 8-inch maple tree; copper nail and washer,
tree painted "B. M. 1818.9"

1,819.18

Hothouse Creek, water level at ford at 3:30 p.m. May 16,
1933 (normal flow)

1,709.6

- FROM BLAIRSVILLE QUADRANGLE NEAR MOCCASIN GAP ALONG
HIGHWAYS WEST NEAR NORTH BORDER BY WAY OF BELLVIEW TO
NEAR DAVIDSONVILLE - (by G. W. Moore, 1936, Bk. B7207) -

Pinelog Church, 3.05 mi. W. of, at Moccasin Gap, 30 ft.
N. of trail crossing at saddle, 2 ft. above crest,
due N. and visible from flag on rocky top, in root on
S. side of 10-in. oak tree; copper nail and washer,
painted "U. S. B. M. 2411.7"

2,411.69

Bellview, 3.4 mi. E. of, 0.7 mi. W. of Moccasin Gap,
270 ft. NW. of house and start of trail to Moccasin
Gap, 30 ft. NE. of road, on hillside, 13 ft. above
road, on rock outcrop; std. tablet stamped "G W M
193 1936 2074", painted "U. S. P. B. M. 2074.3"

2,074.297

Reference mark, 110 ft. W. of tablet, 15 ft. N. of road,
4.6 ft. above road, in root on S. side of 16-in. white
oak tree; copper nail and washer, tree painted "R. M."

2,055.14

Bellview, 2.9 mi. E. of, 1.2 mi. W. of Moccasin Gap,
40 ft. NE. of plank bridge over branch of creek, 22 ft.
E.-NE. of T-road S., on 2-foot bank, 15 ft. N. of rd.,
in root on S. side of 30-in. white oak tree; copper
nail and washer, painted "U. S. B. M. 1937.5"

1,937.46

R 57
E QUAD. HURST
C
O ORDER THIRD
P Bk. B7207
Y 12/13/55/dlk

NGVD 29
Elevations

STATE NORTH CAROLINA By G. W. MOORE, ALTITUDE ABOVE
1936 MEAN SEA LEVEL
ADJ. SEA LEVEL DATUM OF 1929 (Feet)

-2-

Elevation of plank bridge 3.0 ft. above water	1,934.8
Bellview, 2.2 mi. E. of, 1.9 mi. W. of Moccasin Gap, about 0.1 mi. NE. of Moccasin Church, 14 ft. E. of T-rd. SW., about 160 ft. SE. of wood bridge over branch creek, 7 ft. NE. of road, 1.3 ft. above road fork, in root on SW. side of 30-inch oak tree; copper nail and washer, painted "U. S. B. M. 1848.7"	1,848.68
Elevation wood bridge 4.5 ft. above water of branch creek	1,846.0
Moccasin Gap, 2.49 mi. W. of, at road fork NE.; ground	1,800.6
Moccasin Gap, 2.50 mi. W. of, fork at branch creek	1,799.6
Bellview, 1.6 mi. E. of, 2.6 mi. W. of Moccasin Gap, 300 ft. SW. of road fork by rd., 19 ft. SE. of road, 4.2 ft. below road, on large quartzite boulder; std. tablet stamped "G W M 194 1936 1806", painted "U. S. P. B. M. 1806.3"	1,806.237
Reference mark, 37 ft. NW. of tablet, 20 ft. SE. of road, 3 ft. below road, on quartzite boulder; point in chiseled square	1,808.92
Bellview, 0.7 mi. E. of, 3.4 mi. W. of Moccasin Gap, 55 ft. N:-NE. of rd. fork N., 12 ft. E. of road N., 8.5 ft. above road fork, in root on SW. side of 16-in. oak tree; copper nail and washer, painted "U. S. B. M. 1762.7"	1,762.66
Elevation of road fork	1,754.0
Bellview, at, Mocassin Gap, 4.1 mi. W. of, 0.34 mi. E. of State Hwy. #11, 35 ft. E. and 10 ft. N. of T-road S., 12 ft. E. of SE. cor. of store, in root on W. side of 30-in. oak tree; copper nail and washer, painted "U. S. B. M. 1811.2"	1,811.17
Road fork elevation	1,806.3
Blairsville, 11.45 mi. NW. of along State Hwy. #11, 0.45 mi. N. of N.C.-Ga. State line, 0.34 mi. W. of Bellview, 15 ft. NW. of crossing of U. S. Hwy. #19 and Bellview Lance mill roads, in base of old sign post; R.R. spike, painted white, painted "U. S. B. M. 1,785.1"	1,785.056
Elevation of crossroads	1,784.8

NGVD 29
Elevations

R 57
E QUAD. HURST
C
O ORDER THIRD
P Bk. B7207
Y 12/13/55/dlk

STATE NORTH CAROLINA BY G. W. MOORE,
1936
ADJ. SEA LEVEL DATUM OF 1929.

ALTITUDE ABOVE
MEAN SEA LEVEL
(Feet)

-3-

Blairsville, about 11.9 mi. NW. of, 0.9 mi. N. of N.C.-Ga.
State line, at Davidsonville, 25 ft. NW. of road fork NW.
to Ranger, 4 ft. below road fork, top of conc. post;
N+C tablet stamped "157"

1,667.075

Old sign post painted "U. S. B. M. 1667.1"

Road fork elevation 1,671.0

Reference mark, 30 ft. NE. of tablet, on NE. end of the
SE. head wall of conc. top of masonry culvert 1,665.23

- FROM POINT NEAR DAVIDSONVILLE WEST ALONG HIGHWAY NEAR
NORTH BORDER BY WAY OF BETHANY CHURCH (GA.) TO CULBERSON
THENCE SOUTHWEST TO STATE LINE (part of line jogs S.
into Georgia) -

Bellview, 0.6 mi. W. of, center of road at curve, at top
of hill 1,855.9

Bellview, 0.83 mi. SW. of, about 100 ft. W. of curve,
at drain, 40 ft. S. of rd., 3 ft. below road, in root
on SW. side of 15-in. oak tree; copper nail and
washer, painted "U. S. B. M. 1762.2" 1,762.13

Bellview, 1.41 mi. SW. of, just N. of North Carolina-
Georgia State line, near Lance Mill, center of wood
bridge, 6.7 ft. above water of Moccasin Creek 1,633.4

Bethany Church and School, 0.63 mi. N. of, just N. of
N.-C.-Ga. State line, 116 ft. W. of road fork W.,
50 ft. SW. of road to NW., 9 ft. N. of road to W.,
in root on E. side of 16-in. oak tree; copper nail
and washer, painted "U. S. B. M. 1641.5" 1,641.45

Elevation at road fork which map shows in Georgia but
the farmers say is in North Carolina 1,638.6

NOTE: State line is between barn and house (not shown
on map)

Bethany Church, 1.2 mi. N. of, at road fork to Hemp No. 4;
ground 1,772.3

NGVD 2_b
Elevations

57

QUAD. MURST

STATE NORTH CAROLINA BY G. W. MOORE,
1936

ALTITUDE ABOVE
MEAN SEA LEVEL
(Feet)

ORDER THIRD

ADJ. SEA LEVEL DATUM OF 1929

Bk. B7207

12/13/55/dlk

-4-

Culberson, N.C., 4.12 mi. E. of, 1.34 mi. N. of Bethany Church, 0.15 mi. N. of 1st-class rd. forks, about 100 ft. NW. of rd., in woods at top of hill, 3 ft. NW. of blazed 12-in. twin oak tree with flag, top of small boulder set in place; center of 1-inch drill hole in chiseled triangle	1,794.11
Reference tree 3 ft. S. 62° E. painted "U. S. B. M. 1794.2" (Hemp No.4)	
Reference mark, 85 ft. S. of Hemp No.4, 35 ft. NW. of rd., 50 ft. N. of private road fork N., 4 ft. above road, in root on E. side of 8-inch oak tree; copper nail and washer, tree painted "R. M."	1,793.01
Culberson, 3.6 mi. E. of, 1.7 mi. NW. of Bethany Church, about 700 ft. SW. of Macedonia School, 610 ft. E. of rd. fork at sharp bend in main road, 80 ft. NE. of private road fork N. to house, 13 ft. N. of road, on bank 3.7 ft. above rd., top of buried boulder; std. tablet, "G W M 196 1936 1772", painted "U. S. P. B. M. 1772.4"	1,772.329
Reference mark, 106 ft. E. of tablet, 25 ft. N. of road, at top of hill, top of small quartz boulder; chiseled square	1,773.68
Culberson, 3.48 mi. E. of, 0.12 mi. W. of tablet "G W M 196 1936", at private road fork W., at right angle bend in road; ground	1,782.5
Culberson, 2.85 mi. E. of, about 200 ft. W. of sheet edge, 70 ft. NE. of secondary road fork NE., 18 ft. N. of rd., on 3-foot bank, in root on SW. side of 18-in. yellow pine tree; copper nail and washer, painted "U. S. B. M. 1668.3"	1,668.26
Culberson, 2.58 mi. E. of, water elevation at small ford	1,636.5
Culberson, 2.5 mi. E. of, top of hill at road forks	1,663.8
Culberson, 2.17 mi. E. of, about 0.75 mi. S. of State Hwy. #86, 110 ft. NE. of T-rd. NW., 30 ft. SE. of rd., on hillside, 10 ft. above road, in root on NW. side of 14-inch oak tree; copper nail and washer, painted "U. S. B. M. 1602.2"	1,602.12
Elevation of T-road N.-NW. to highway	1,595.5

		NGVD 29 Elevations	STATE NORTH CAROLINA BY G. W. MOORE, 1936 ADJ. SEA LEVEL DATUM OF 1929	ALTITUDE ABOVE MEAN SEA LEVEL (Feet)
R	QUAD. HURST	57	STATE NORTH CAROLINA BY G. W. MOORE, 1936 ADJ. SEA LEVEL DATUM OF 1929	
L	ORDER THIRD			
O	Bk. B7207			
P	12/13/55/dlk		-5-	
Y	*			
Culberson, 1.8 mi. E. of, just N. of N.C.-Ga. State line, 18 ft. SE. of road at curve, 2.1 ft. above plank bridge over drain, 60 ft. SW. of Bruce house, in root on N. side of 18-inch sycamore tree; copper nail and washer, painted "U. S. B. M. 1591.4"		1,591.32		
Culberson depot, 0.6 mi. SE. of, 53 ft. NE. of T-rd. NW., on 5-foot bank, in root on W. side of 5-inch sourwood tree; copper nail and washer, tree painted "U. S. B. M. 1760.2"		1,760.41		
Culberson depot, 0.2 mi. SE. of, at crossroads near E. edge of Rapiers Mill Creek Bridge #2; center of State Hwy. #86		1,612.8		
Culberson, about 600 ft. NE. of L & N.R.R. depot, 180 ft. NE. of road crossing tracks, 26 ft. NW. of center line of R.R. track, 5 ft. S. of telephone pole "2934", at track level, in conc. post; U. S. C. & G. S. std. disk stamped "R 53 1933"		1,612.280		
Culberson, 20 ft. SW. of NW. corner of L & N.R.R. depot, 35 ft. NW. of tracks, 28 ft. SE. of Main Street, 1.8 ft. above tracks, in station lawn, 4 ft. SW. of telephone pole, in conc. post; U. S. C. & G. S. std. disk stamped "Q 53 1933"		1,619.501		
Culberson depot, 0.57 mi. SW. of, on State Hwy. #86, at Rapiers Mill Creek Bridge #1, on W. end of N. mud guard of conc. bridge; chiseled square, painted "U. S. B. M. 1630.9"		1,630.78		
Center of bridge, 8.9 ft. above water		1,630.1		
Culberson depot, 0.78 mi. SW. of, at N.C.-Ga. State line, end of pavement opposite State line marker		1,668.5		

R 57 NC 269 Ga.
E QUAD. HURST
C ORDER THIRD
P Bk. B4478
Y 12/13/55/dlk

STATE NORTH CAROLINA BY C. A. TURNER, ALTITUDE ABOVE
1933 MEAN SEA LEVEL
ADJ. SEA LEVEL DATUM OF 1929 (Feet)

NORTH CAROLINA
HURST (N.C.-GA.) QUADRANGLE
(Latitude $34^{\circ}45'$ - $35^{\circ}00'$; Longitude $84^{\circ}00'$ - $84^{\circ}15'$)
CHEROKEE COUNTY

- FROM POINT ON STATE LINE 2 MILES NORTHWEST OF IVYLOG,
ALONG HIGHWAYS NORTH INTO MURPHY QUADRANGLE -

N.C.-Ga. State line monument, at SE. corner of, on N. side
of road; chiseled square, painted "B. M. 1701.3"

1,702.63

- FROM STATE LINE ALONG HIGHWAYS NORTHWEST INTO SOUTHEAST
CORNER OF DUCKTOWN QUADRANGLE -

Mt. Maria Church, 1.4 mi. SE. of, near N.C.-Ga. State
line, on S. side of road, 18 ft. W. of creek crossing,
in root of 8-inch maple tree; copper nail and washer,
tree painted "B. M. 1818.9"

1,819.18

Hothouse Creek, water level at ford at 3:30 p.m. May 16,
1933 (normal flow)

1,709.6

- FROM BLAIRSVILLE QUADRANGLE NEAR MOCCASIN GAP ALONG
HIGHWAYS WEST NEAR NORTH BORDER BY WAY OF BELLVIEW TO
NEAR DAVIDSONVILLE - (by G. W. Moore, 1936, Bk. B7207) -

Pinelog Church, 3.05 mi. W. of, at Moccasin Gap, 30 ft.
N. of trail crossing at saddle, 2 ft. above crest,
due N. and visible from flag on rocky top, in root on
S. side of 10-in. oak tree; copper nail and washer,
painted "U. S. B. M. 2411.7"

2,411.69

Bellview, 3.4 mi. E. of, 0.7 mi. W. of Moccasin Gap,
270 ft. NW. of house and start of trail to Moccasin
Gap, 30 ft. NE. of road, on hillside, 13 ft. above
road, on rock outcrop; std. tablet stamped "G. W. M.
193 1936 2074", painted "U. S. P. B. M. 2074.3"

2,074.297

Reference mark, 110 ft. W. of tablet, 15 ft. N. of road,
4.6 ft. above road, in root on S. side of 16-in. white
oak tree; copper nail and washer, tree painted "R. M."

2,055.14

Bellview, 2.9 mi. E. of, 1.2 mi. W. of Moccasin Gap,
40 ft. NE. of plank bridge over branch of creek, 22 ft.
E.-NE. of T-road S., on 2-foot bank, 15 ft. N. of rd.,
in root on S. side of 30-in. white oak tree; copper
nail and washer, painted "U. S. B. M. 1937.5"

1,937.45

57
S QUAD. HURST
C
O ORDER THIRD
P Bk. B7207
Y 12/13/55/dlk

STATE NORTH CAROLINA BY G. W. MOORE, ALTITUDE ABOVE
1936 MEAN SEA LEVEL
ADJ. SEA LEVEL DATUM OF 1929 (Feet)

-2-

Elevation of plank bridge 3.0 ft. above water	1,934.8
Bellview, 2.2 mi. E. of, 1.9 mi. W. of Moccasin Gap, about 0.1 mi. NE. of Moccasin Church, 14 ft. E. of T-rd. SW., about 160 ft. SE. of wood bridge over branch creek, 7 ft. NE. of road, 1.3 ft. above road fork, in root on SW. side of 30-inch oak tree; copper nail and washer, painted "U. S. B. M. 1848.7"	1,848.68
Elevation wood bridge 4.5 ft. above water of branch creek	1,846.0
Moccasin Gap, 2.49 mi. W. of, at road fork NE.; ground	1,800.6
Moccasin Gap, 2.50 mi. W. of, fork at branch creek	1,799.6
Bellview, 1.6 mi. E. of, 2.6 mi. W. of Moccasin Gap, 300 ft SW. of road fork by rd., 19 ft. SE. of road, 4.2 ft. below road, on large quartzite boulder; std. tablet stamped "G W M 194 1936 1806", painted "U. S. P. B. M. 1806.3"	1,806.237
Reference mark, 37 ft. NW. of tablet, 20 ft. SE. of road, 3 ft. below road, on quartzite boulder; point in chiseled square	1,808.92
Bellview, 0.7 mi. E. of, 3.4 mi. W. of Moccasin Gap, 55 ft. N:-NE. of rd. fork N., 12 ft. E. of road N., 8.5 ft. above road fork, in root on SW. side of 16-in. oak tree; copper nail and washer, painted "U. S. B. M. 1762.7"	1,762.66
Elevation of road fork	1,754.0
Bellview, at, Moccasin Gap, 4.1 mi. W. of, 0.34 mi. E. of State Hwy. #11, 35 ft. E. and 10 ft. N. of T-road S., 12 ft. E. of SE. cor. of store, in root on W. side of 30-in. oak tree; copper nail and washer, painted "U. S. B. M. 1811.2"	1,811.17
Road fork elevation	1,806.3
Blairsville, 11.45 mi. NW. of along State Hwy. #11, 0.45 mi. N. of N.C.-Ga. State line, 0.34 mi. W. of Bellview, 15 ft. NW. of crossing of U. S. Hwy. #19 and Bellview Lance mill roads, in base of old sign post; R.R. spike, painted white, painted "U. S. B. M. 1,785.1"	1,785.056
Elevation of crossroads	1,784.8

NGVD 29
Elevations

57
E QUAD. MURST
C
O ORDER THIRD
P Bk. B7207
Y 12/13/55/alk

STATE NORTH CAROLINA BY G. W. MOORE,
1936
ADJ. SEA LEVEL DATUM OF 1929

ALTITUDE ABOVE
MEAN SEA LEVEL
(Feet)

-3-

Blairsville, about 11.9 mi. NW. of, 0.9 mi. N. of N.C.-Ga.
State line, at Davidsonville, 25 ft. NW. of road fork NW.
to Ranger, 4 ft. below road fork, top of conc. post;
N+C tablet stamped "157"

1,667.075

Old sign post painted "U. S. B. M. 1667.1"

Road fork elevation

1,671.0

Reference mark, 30 ft. NE. of tablet, on NE. end of the
SE. head wall of conc. top of masonry culvert

1,665.23

- FROM POINT NEAR DAVIDSONVILLE WEST ALONG HIGHWAY NEAR
NORTH BORDER BY WAY OF BETHANY CHURCH (GA.) TO CULBERSON
THENCE SOUTHWEST TO STATE LINE (part of line jogs S.
into Georgia) -

Bellview, 0.6 mi. W. of, center of road at curve, at top
of hill

1,855.9

Bellview, 0.83 mi. SW. of, about 100 ft. W. of curve,
at drain, 40 ft. S. of rd., 3 ft. below road, in root
on SW. side of 15-in. oak tree; copper nail and
washer, painted "U. S. B. M. 1762.2"

1,762.13

Bellview, 1.41 mi. SW. of, just N. of North Carolina-
Georgia State line, near Lance Mill, center of wood
bridge, 6.7 ft. above water of Moccasin Creek

1,633.4

Bethany Church and School, 0.63 mi. N. of, just N. of
N.-C.-Ga. State line, 116 ft. W. of road fork W.,
50 ft. SW. of road to NW., 9 ft. N. of road to W.,
in root on E. side of 16-in. oak tree; copper nail
and washer, painted "U. S. B. M. 1641.5"

1,641.45

Elevation at road fork which map shows in Georgia but
the farmers say is in North Carolina

1,638.6

NOTE: State line is between barn and house (not shown
on map)

Bethany Church, 1.2 mi. N. of, at road fork to Hemp No.4;
ground

1,772.3

57

QUAD. MURST

ORDER THIRD

Bk. B7207

12/13/55/dlk

STATE NORTH CAROLINA By G. W. MOORE,

1936

ADJ. SEA LEVEL DATUM OF 1929

ALTITUDE ABOVE

MEAN SEA LEVEL

(Feet)

-4-

Culberson, N.C., 4.12 mi. E. of, 1.34 mi. N. of Bethany Church, 0.15 mi. N. of 1st-class rd. forks, about 100 ft. NW. of rd., in woods at top of hill, 3 ft. NW. of blazed 12-in. twin oak tree with flag, top of small boulder set in place; center of 1-inch drill hole in chiseled triangle	1,794.11
Reference tree 3 ft. S. 62°E. painted "U. S. B. M. 1794.2" (Hemp No.4)	
Reference mark, 85 ft. S. of Hemp No.4, 35 ft. NW. of rd., 50 ft. N. of private road fork N., 4 ft. above road, in root on E. side of 8-inch oak tree; copper nail and washer, tree painted "R. M."	1,793.01
Culberson, 3.6 mi. E. of, 1.7 mi. NW. of Bethany Church, about 700 ft. SW. of Macedonia School, 610 ft. E. of rd. fork at sharp bend in main road, 80 ft. NE. of private road fork N. to house, 13 ft. N. of road, on bank 3.7 ft. above rd., top of buried boulder; std. tablet, "G W M 196 1936 1772", painted "U. S. P. B. M. 1772.4"	1,772.329
Reference mark, 106 ft. E. of tablet, 25 ft. N. of road, at top of hill, top of small quartz boulder; chiseled square	1,773.68
Culberson, 3.48 mi. E. of, 0.12 mi. W. of tablet "G W M 196 1936", at private road fork W., at right angle bend in road; ground	1,782.5
Culberson, 2.85 mi. E. of, about 200 ft. W. of sheet edge, 70 ft. NE. of secondary road fork NE., 18 ft. N. of rd., on 3-foot bank, in root on SW. side of 18-in. yellow pine tree; copper nail and washer, painted "U. S. B. M. 1668.3"	1,668.26
Culberson, 2.58 mi. E. of, water elevation at small ford	1,636.5
Culberson, 2.5 mi. E. of, top of hill at road forks	1,663.8
Culberson, 2.17 mi. E. of, about 0.75 mi. S. of State Hwy. #86, 110 ft. NE. of T-rd. NW., 30 ft. SE. of rd., on hillside, 10 ft. above road, in root on NW. side of 14-inch oak tree; copper nail and washer, painted "U. S. B. M. 1602.2"	1,602.12
Elevation of T-road N.-NW. to highway	1,595.5

57

R QUAD. MURST
 E ORDER THIRD
 R Bk. B7207
 Y 12/13/55/dlk

STATE NORTH CAROLINA BY G. W. MOORE,
 1936
 ADJ. SEA LEVEL DATUM OF 1929

ALTITUDE ABOVE
 MEAN SEA LEVEL
 (Feet)

-5-

Culberson, 1.8 mi. E. of, just N. of N.C.-Ga. State line,
 18 ft. SE. of road at curve, 2.1 ft. above plank bridge
 over drain, 60 ft. SW. of Bruce house, in root on N.
 side of 18-inch sycamore tree; copper nail and washer,
 painted "U. S. B. M. 1591.4"

1,591.32

Culberson depot, 0.6 mi. SE. of, 53 ft. NE. of T-rd. NW.,
 on 5-foot bank, in root on W. side of 5-inch sourwood
 tree; copper nail and washer, tree painted "U. S. B. M.
 1760.2"

1,760.41

Culberson depot, 0.3 mi. SE. of, at crossroads near E.
 edge of Rapiers Mill Creek Bridge #2; center of State
 Hwy. #86

1,612.8

Culberson, about 600 ft. NE. of L. & N. R.R. depot, 180 ft.
 NE. of road crossing tracks, 26 ft. NW. of center line
 of R.R. track, 5 ft. S. of telephone pole "2934", at
 track level, in conc. post; U. S. C. & G. S. std. disk
 stamped "R 53 1933"

1,612.280

Culberson, 20 ft. SW. of NW. corner of L. & N. R.R. depot,
 35 ft. NW. of tracks, 28 ft. SE. of Main Street, 1.8 ft.
 above tracks, in station lawn, 4 ft. SW. of telephone
 pole, in conc. post; U. S. C. & G. S. std. disk stamped
 "Q 53 1933"

1,619.501

Culberson depot, 0.57 mi. SW. of, on State Hwy. #86, at
 Rapiers Mill Creek Bridge #1, on W. end of N. mud guard
 of conc. bridge; chiseled square, painted "U. S. B. M.
 1630.9"

1,630.78

Center of bridge, 8.9 ft. above water

1,630.1

Culberson depot, 0.78 mi. SW. of, at N.C.-Ga. State line,
 end of pavement opposite State line marker

1,668.5

NGVD 29
 Elevations