

THIRD-ORDER LEVELING
NATIONAL GEODETIC VERTICAL DATUM OF 1929

35-082-33
ROSMAN QUADRANGLE
N.C.-155 S.C.
N3500-W8245/15
DIAGRAM NI 17-1
KNOXVILLE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY


Jackson and Transylvania Counties, N.C.;
Oconee, Pickens, and Greenville Counties, S.C.

Final adjustment of 1936

Edition of 3/25/76

PR: LFB/kp

NGVD 29
Elevations



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle 350823

INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
2976-A	3	R 24 1929	3
R 22 1929 1782	3	R 25 1929 2179.356	3
R 23 1929 1751	3	TT 104 DL 1934 1800	8

NGVD 29
Elevations

ISOLATED BENCH MARKS (By E. L. Faison and E. M. Long, 1896;
Books 5182-87; T. S. Mauldin Jr., 1897; Book 5650)

Feet

Tucker Creek, 3.1 mi above mouth; in fork of rd. near ford of N.
fork of creek; 4 ft E. of oak tree; on iron post; standard
tablet stamped "2976-A"

2986.057

By E. C. Reick, 1929; Book B3529

Rosman, 4.4 mi S. of; 0.2 mi N. of Eastatoe Gap; 50 ft W. of
rd. at 10-ft waterfall; in ledge; standard tablet stamped
"R 24 1929"

2632.377

Selica, 273 ft W. of station; 4.0 mi SW. of, along Southern
RR. from Brevard; 30 ft N. of centerline of main track; in
top of W. end of S. concrete headwall of 6-by 12-ft concrete
box culvert under U. S. Highway 64; standard tablet stamped
"R 25 1929 2179.356" (Tied by NGS, 1934)

2178.965

Pickens, 12.5 mi N. of County Courthouse; 6.1 mi S. of N.C.-S.C.
boundary line; 68 ft NW. of centerline of State Highway 14;
100 ft N. of rock quarry; in ledge; in bottom of small creek;
standard tablet stamped "R 22 1929 1782" (Tied by NGS, 1935)

1780.981

Rosman, 8.8 mi S. of; 3.1 mi S. of N.C.-S.C. boundary line; 83
ft E. of centerline of State Highway 14; 105 ft S. of filling
station; across rd. from "Lake Cottage"; in large boulder
projecting 2 ft; standard tablet stamped "R 23 1929 1751"
(Tied by NGS, 1935)

1749.632

By M. Shackelford, 1934; Book B6109

Camp Adger, 1.3 mi W. of triangulation station of top of Mount
Pinnacle; 250 ft W. of main camp building; 225 ft W. of center-
line of trail; 75 ft E. of stream; 8 ft S. of another trail; 15
ft S. of path leading across stream to spring; in small boulder;
standard tablet stamped "TT 104 DL 1934 1800"

1798.308

UPPER FRENCH BROAD BENCH MARKS

NGVD 29
Elevations

Tennessee Valley Authority

Fourth Order

The UFB bench marks are filed with the TVA control booklets. The designations range from UFB-1 through UFB-315 and are listed in this order.

This cover sheet is placed with USGS Quads to inform that additional BM's are available in the listed quads.

<u>USGS</u>	<u>TVA</u>
87	194
✓88	185
123	202
124	193
160	201
161	192
194	200
195	191
196	182